Handknits

FOR MEN, WOMEN AND TEEN-AGERS

by Beehive

PRICE
45¢
SERIES NO. 79

Handknits FOR MEN, WOMEN AND TEEN-AGERS by Beehive

Book NO. 79

Front Cover
See pages 3, 6, 7 and 16

Presenting a galaxy of new ideas for hand knitting.
Bulky knits, fine knits, fashion knits—all designed for easy knitting and the maximum of style and comfort.

The Charm of Knitted Lace
See page 1

The Long and Short of It
See page 4

The Deep "V" Neck Cardigan
See page 9

A Trio of Handknits
See page 11

Little Cardigans in Caressa
See page 14

Handknits for Teen-Agers
See page 22



Handknits in Chieftain
See pages 18 and 19

Handknits for Men
See pages 26 and 27

PATONS & BALDWINS, LIMITED : TORONTO 19

The Charm of Knitted Lace

Sleeveless Blouse for Ladies
and Teen-Agers, see page 2

Lady's Sheath Dress with
Matching Stole, see page 2

P&B WOOLS

The Charm of Knitted Lace

Shown on page 1

THE DRESS AND STOLE

MATERIALS:
A lace dress is so smart and wearable and this slim sheath is further enhanced with a long matching stole. The lace pattern is one of the very easiest and Patons Beehive Bouclet, the yarn used for the model in the photograph, produces a most interesting effect. For the Dress you will need 15 ozs. of Patons Beehive Bouclet. *(16—16 ozs.)* *(18—17 ozs.)* and the Stole requires 16 ozs. The needles to use for Patons Beehive Bouclet are, two No. 10, two No. 11 and two No. 12 Queen Bee Knitting Needles. These instructions may also be used for Beehive Fine Crepe to produce a crepe finish and 16 ozs. *(16 and 18—17 ozs.)* are required for the Dress and 16 ozs. for the Stole. P & B Pearl Twist, for a smooth look, is a third satisfactory yarn which may be used and the Dress requires 12 ozs. *(16—13 ozs.)* *(18—14 ozs.)* and the Stole 13 ozs. The needles to use for both Beehive Fine Crepe and P & B Pearl Twist are, two No. 9, two No. 10 and two No. 11 Queen Bee Knitting Needles. Be sure you make one of these three specified yarns your choice for knitting from these instructions. Also required are:—One No. 4 Steel Crochet Hook (American Gauge). Length of Elastic. Belt Buckle. 1 yard Grosgrain Ribbon, 1 inch wide.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust	32 ins.	34 ins.	36 ins.
Waist	27 "	28 "	30 "
Hips (7 ins. from waistline)	35 "	37 "	39 "
Blocking Measurements			
Blouse—Bust	33 "	35 "	37 "
Length from top of shoulder	15½ "	15½ "	16 "
Skirt—Waist	27 "	28 "	30 "
Hips (7 ins. from waistline)	36 "	38 "	40 "
Length	29 "	29 "	29 "
Width all round at hem	42 "	44 "	46 "
Stole—Width	17 "	17 "	17 "
Length	80 "	80 "	80 "

Tension: 7½ sts and 10 rows = 1 inch in Stocking st.
with No. 11 needles and Patons Beehive Bouclet.
with No. 10 needles and Beehive Fine Crepe.
with No. 10 needles and P & B Pearl Twist.

Check tension—see page 29.
For Washing Instructions—see page 29.

THE DRESS

PATTERN: **1st row:** K1. K2tog. *Wl.fwd. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 4 sts. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1.
2nd and alternate rows: K1. Purl to last st. K1.
3rd row: K1. K2tog. *Wl.fwd. K5. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 8 sts. Wl.fwd. K5. Wl.fwd. Sl.1. K1. p.s.s.o. K1.
5th row: As 3rd row.
7th row: K3. *Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K3. Repeat from * to end of row.
8th row: K1. Purl to last st. K1. These 8 rows complete one pattern.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

SKIRT—BACK: With No. 10 needles for Patons Beehive Bouclet —No. 9 needles for Beehive Fine Crepe or P & B Pearl Twist, cast on 123 sts. *(16—131 sts.)* *(18—139 sts.)*.
Continue even in pattern until work measures 16 ins. from beginning.
Change to No. 11 needles for Patons Beehive Bouclet—No. 10 needles for Beehive Fine Crepe or P & B Pearl Twist, and work 8 more ins.
Change to No. 12 needles for Patons Beehive Bouclet—No. 11 needles for Beehive Fine Crepe or P & B Pearl Twist, and continue even until skirt measures 27 ins. from beginning, or desired length, ending with purl row. This length, in this stitch pattern, will block to 29 ins.

THE BLOUSE

MATERIALS:
This dainty blouse is knitted with P & B Pearl Twist from the instructions given for the Lace Sheath Dress shown with it and requires 5 ozs. *(16—5 ozs.)* *(18—6 ozs.)*. It may also be knitted with Beehive Fine Crepe and takes 6 ozs. *(16—6 ozs.)* *(18—7 ozs.)* of this wool. The needles to use when knitting this design with either P & B Pearl Twist or Beehive Fine Crepe are two No. 11 and two No. 10 Queen Bee Knitting Needles. As in the Dress, Patons Beehive Bouclet produces a delightful effect and requires 5 ozs. *(16—6 ozs.)* *(18—7 ozs.)* and two No. 12 and two No. 11 Queen Bee Knitting Needles. This is such a charming little blouse, and in order to be completely satisfied with your knitting, do take care to use your choice of one of these specified yarns. You will also need one No. 4 Steel Crochet Hook (American Gauge) for the crochet finish around the armholes and neck which adds just the right touch.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	33 "	35 "	37 "
Length from top of shoulder	18½ "	18½ "	19 "

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

BACK: With No. 12 needles for Patons Beehive Bouclet—No. 11 needles for Beehive Fine Crepe or P & B Pearl Twist, cast on 93 sts. *(16—99 sts.)* *(18—105 sts.)*.
Before proceeding with these instructions, please be sure to have the correct Tension for the yarn and needles you are using in order to obtain an accurate size, see Lace Sheath Dress, left column.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 3 ins. ending with 2nd row.
Beginning at ¶, work exactly as given for Blouse of Lace Sheath Dress, see below. Make Front exactly as given for Back.

TO MAKE UP: Block and Press each piece as given on page 29. Sew shoulder and side seams. Crochet 2 rows s.c. around neck and armholes, being careful to hold in to desired size.

Next row: K3. *K2tog. K2. Repeat from * to end of row. 93 sts. on needle. *(16—99 sts.)* *(18—105 sts.)*.
Purl 1 row. Cast off.
Make Front exactly as given for Back.

BLOUSE—BACK: With No. 12 needles for Patons Beehive Bouclet—No. 11 needles for Beehive Fine Crepe or P & B Pearl Twist, cast on 93 sts. *(16—99 sts.)* *(18—105 sts.)*. Purl 1 row.

¶**Next row:** K5. *(16—K3)* *(18—K1)*. *Inc. 1.st. in next st. K3. Repeat from * to end of row. 115 sts. on needle. *(16—123 sts.)* *(18—131 sts.)*.
Purl 1 row.
Work 3 complete patterns.
Change to No. 11 needles for Patons Beehive Bouclet—No. 10 needles for Beehive Fine Crepe or P & B Pearl Twist, and continue even until there are 8½ ins. in pattern, ending with purl row.

To shape armholes: Keeping continuity of pattern, cast off 8 sts. beginning next 2 rows. 99 sts. on needle. *(16—107 sts.)* *(18—115 sts.)*.
Continue even in pattern until armhole measures approx. 5 ins. from first shaping ending with 1st. pattern row.

To shape neck: K1. P22. *(16—K1. P26)* *(18—K1. P30)*. Cast off 53 sts. purlways. Purl to last st. K1.
Working on last 23 sts. *(16—27 sts.)* *(18—31 sts.)* continue:—

Sizes 14 and 18: 1st row: K1. K2tog. *Wl.fwd. K5. Wl.fwd.

(Continued on page 3)

The Handknit Blouse with a Sparkle

For Ladies and Teen-Agers—Shown on Cover (centre)

MATERIALS:
The calypso finds expression in this sparkling little handknit. The garland of crocheted flowers outlining the "V" neck at both back and front and the dainty cap sleeves, make this a sweater which must be had. Beehive Fingering 3 ply Patonised is the wool to use to knit a sweater exactly as shown and with equal satisfaction Patwin 3 ply Patonised is an alternative choice. As these instructions have been tested with both these yarns, be sure to choose one or other in order to produce the same delightful result. You will need:—5 ozs. *(16—5 ozs.)* *(18 and 20—6 ozs.)*. Two No. 12 and two No. 10 Queen Bee Knitting Needles. One Stitch Holder. One No. 3 Steel Crochet Hook (American Gauge). 12 Fancy Buttons for centres of Flowers.

MEASUREMENTS	Size 14	Size 16	Size 18	Size 20
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	33 "	35 "	37 "	39 "
Length from top of shoulder	18 "	18 "	18½ "	18½ "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16, 18 and 20 are written in brackets thus:—( ).

BACK: With No. 12 needles cast on 100 sts. *(16—108 sts.)* *(18—116 sts.)* *(20—124 sts.)*.
Work 3 ins. (K1. P1) ribbing.
Change to No. 10 needles.
Continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 108 sts. on needle *(16—116 sts.)* *(18—124 sts.)* *(20—132 sts.)*
every 4th row to 130 sts. on needle *(16—138 sts.)* *(18—146 sts.)* *(20—154 sts.)*
every alternate row to 144 sts. on needle *(16—152 sts.)* *(18—160 sts.)* *(20—168 sts.)*
then every row to 150 sts. on needle *(16—158 sts.)* *(18—166 sts.)* *(20—174 sts.)*, ending with purl row. Work now measures approx. 11½ ins. from beginning.
Cast on 4 sts. for sleeves beginning next 2 rows. 158 sts. on needle. *(16—166 sts.)* *(18—174 sts.)* *(20—182 sts.)*.
Work 8 rows *(16—8 rows)* *(18 and 20—12 rows)* even ending with purl row.

To shape neck: K77. *(16—K81)* *(18—K85)* *(20—K89)*. K2tog. Turn. Leave remaining sts. on st. holder.
Working on these 78 sts. *(16—82 sts.)* *(18—86 sts.)* *(20—90 sts.)* continue in Stocking st. dec. 1.st. at neck edge every alternate row to 59 sts. on needle. *(16—62 sts.)* *(18—67 sts.)* *(20—70 sts.)* and end at sleeve edge.
Sleeve edge now measures 5 ins. *(16—5 ins.)* *(18 and 20—5½ ins.)*.

To shape shoulder: Continue decreasing at neck edge as before, at same time cast off 5 sts. at sleeve edge on next and every alternate row to 5 sts. on needle. *(16—8 sts.)* *(18—7 sts.)* *(20—10 sts.)*. Work 1 row even. Cast off.

With right side of work facing, join wool at neck edge to remaining 79 sts. *(16—83 sts.)* *(18—87 sts.)* *(20—91 sts.)*.
1st row: K2tog. Knit to end of row.
Continue to correspond to other side being careful to have all shapings for opposite side.
Make Front exactly as given for Back.

CROCHETED FLOWERS: *Ch. 17 sts. 1.s.c. in 2nd Ch. from hook. 1.s.c. in next Ch. 1.h.d.c. in next Ch. 1.d.c. in each of next 11 Ch. 1.h.d.c. in next Ch. 1.s.c. in last Ch. (This makes 1st. Petal. Repeat from * 7 times, making 8 petals in all. Join in ring with s.s. at base of 1st. petal. Fasten off. Darn in ends. Make 11 more rings of petals to correspond.

TO MAKE UP: Block and Press each piece as given on page 29 being very careful not to flatten the flowers. Sew shoulder and side seams. Crochet 3 rows s.c. around neck and sleeve edges, being careful to hold neck in to desired size. Sew crocheted flowers in position as illustrated, starting to sew from the centre of each flower, along the Ch. edge of the petals, leaving about ¼ inch free at tips. Sew a button in centre of each flower.

DRESS AND STOLE *(Continued from page 2)*

Sl.1. K2tog. p.s.s.o. Repeat from * once. Wl.fwd. K4.
2nd and alternate rows: K1. Purl to last st. K1.
3rd row: As 1st. row.
5th row: K3. *Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K3. Repeat from * once. Wl.fwd. Sl.1. K1. p.s.s.o. K2.
7th row: K1. K2tog. *Wl.fwd. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 4 sts. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1.
8th row: As 2nd row.
Repeat these 8 rows until armhole from first shaping measures 7 ins. *(18—7½ ins.)*. Cast off.

Size 16: Beginning with 3rd pattern row, continue even in pattern, as before, until armhole measures 7 ins. from first shaping. Cast off.

With right side of work facing, join wool at neck edge to remaining 23 sts. *(16—27 sts.)* *(18—31 sts.)* and continue:—

Sizes 14 and 18: 1st row: K4. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K5. Repeat from * once. Wl.fwd. Sl.1. K1. p.s.s.o. K1.
2nd and alternate rows: K1. Purl to last st. K1.
3rd row: As 1st. row.
5th row: K2. K2tog. *Wl.fwd. K3. Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Repeat from * once. Wl.fwd. K3.
7th row: K1. K2tog. *Wl.fwd. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 4 sts. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1.
8th row: As 2nd row.
Working in this pattern, continue to correspond to other side. Make Front exactly as given for Back.

Size 16: Beginning with 3rd pattern row, continue to correspond to other side. Make Front exactly as given for Back.

BELT: With No. 10 needles for all yarns as specified in these instructions, cast on 12 sts. Work 32 ins. *(16—33 ins.)* *(18—34 ins.)* even in Stocking st. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29 to measurements as given at beginning of instructions. Sew shoulder and side seams of blouse and side seams of skirt. Sew blouse to skirt. Crochet 2 rows s.c. around neck, armholes and hem, being careful to hold neck and armholes in to desired size.
Crochet casing for elastic as follows:—With wrong side of work facing, work 1.s.s. ¼ inch above waistline. *Ch. 5. 1.s.s. at left ¼ inch below waistline. Ch. 5. 1.s.s. at left ¼ inch above waistline. Repeat from * around waistline ending with s.s. in 1st. st. Fasten off. Insert elastic.
Sew ribbon along centre of belt shaping one end to a point. Turn long edges of belt to wrong side and sew in position. With yarn buttonhole st. closely around buckle. Sew buckle to straight end of belt. Crochet a chain 2 ins. long. Work 1.s.s. in each st. Fasten off. Sew this chain near buckle to hold end of belt. If buckle has a prong, punch a small hole in the proper position on belt and sew in buttonhole st. around it with sewing thread.

THE STOLE

With No. 10 needles for Patons Beehive Bouclet—No. 9 needles for Beehive Fine Crepe or P & B Pearl Twist, cast on 113 sts.
Work 2 ins. even in Stocking st. ending with purl row.

(Continued on page 6)

The Long and Short of It

Lady's Coats, see page 5

Sheath Dresses, see page 6

The Quick Knit Coat in Two Lengths

Shown on page 4

MATERIALS:
The newest in knitteds is the full length coat to wear with sheath dresses and lightweight suits. From these instructions it can be knitted with the smooth cardigan neckline as shown or with the slender shawl collar as shown on the shorter style which has been included for those who prefer the popular "box" length. Raglan sleeves are a special feature. Chieftain Speedknit is the wool for which these instructions were especially prepared. So that you will be entirely satisfied with your knitting, be sure to use Chieftain Speedknit. You will need:—**Long Coat**—26 (2 oz.) skeins. ***(16—27 skeins)*** ***(18—28 skeins)***. Allow 2 skeins extra for the collar. Two No. 3, two No. 2 and two No. 1 Beehive Knitting Needles. One No. J Plastic Crochet Hook (American Gauge). **Short Coat**—16 (2 oz.) skeins. ***(16—17 skeins)*** ***(18—19 skeins)***. Allow 2 skeins extra for the collar. Two No. 3 and two No. 1 Beehive Knitting Needles. One No. J Plastic Crochet Hook (American Gauge).

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Long Coat—Blocking Measurements			
Back—Length at centre	44 "	44 "	44½ "
Width at underarms	19 "	20 "	21 "
Width at hem	21 "	22 "	23 "
Fronts—Full length	44 "	44 "	44½ "
Width at underarm	9½ "	10 "	10½ "
Width at hem	10½ "	11 "	11½ "
Sleeves—Length at underarm seam	16 "	16 "	16 "
Width at underarm	15 "	15 "	15½ "
Short Coat—Blocking Measurements			
Back—Length at centre	27 "	27 "	27½ "
Width at underarms and hem	19 "	20 "	21 "
Fronts—Full length	27 "	27 "	27½ "
Width at underarms and hem	9½ "	10 "	10½ "
Sleeves—Length at underarm seam	16 "	16 "	16 "
Width at underarm	15 "	15 "	15½ "

Tension: 6½ sts. = 2 ins. and 4 rows = 1 inch with No. 3 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

THE LONG COAT

BACK: With No. 1 needles cast on 63 sts. ***(16—65 sts.)*** ***(18—67 sts.)***.
Continue even in Stocking st. for 16 ins.
Change to No. 2 needles and continue even until work measures 30 ins. from beginning.
Change to No. 3 needles and work 1 more inch ending with purl row.
This length allows for natural stretch when blocking to make full length of garment 44 ins. ***(16—44 ins.)*** ***(18—44½ ins.)*** at centre back, see "Measurements" at beginning of these instructions.

To shape armholes: Cast off 3 sts. beginning next 2 rows.
3rd row: K1. K2tog. Knit to last 3 sts. Sl.1. K1. p.s.s.o. K1.
4th row: Purl. Repeat 3rd and 4th rows to 17 sts. on needle. ***(16 and 18—19 sts.)***. Cast off.

LEFT FRONT: With No. 1 needles cast on 31 sts. ***(16—33 sts.)*** ***(18—35 sts.)***.
Work exactly as given for Back until work measures 31 ins. from beginning, ending with purl row. Be sure there are the same number of rows on each piece.

To shape armhole: Cast off 3 sts. beginning next row.
Purl 1 row.
3rd row: K1. K2tog. Knit to last 3 sts. Sl.1. K1. p.s.s.o. K1.
4th row: Purl. Repeat 3rd and 4th rows to 24 sts. on needle.
Continue in this manner dec. 1.st. at armhole edge every alternate row, at same time dec. 1.st. at neck edge **every 4th row** to 9 sts. on needle. ***(16 and 18—6 sts.)***.
Keeping neck edge even, continue dec. 1.st. at armhole edge every alternate row to 2 sts. on needle. Cast off.

RIGHT FRONT: Work to correspond to Left Front until work measures 31 ins. from beginning, ending with **knit** row.

To shape armhole: Cast off 3 sts. beginning next row.
2nd row: K1. K2tog. Knit to last 3 sts. Sl.1. K1. p.s.s.o. K1.
3rd row: Purl. Repeat 2nd and 3rd rows to 24 sts. on needle.
Continue to correspond to Left Front, being careful to have all shapings for opposite side.

SLEEVES: With No. 3 needles cast on 29 sts. ***(16—29 sts.)*** ***(18—31 sts.)***.
1st row: K1. *P1. K1. Repeat from * to end of row.
Repeat this row for Moss st. for 8 rows in all.
Continue in Stocking st. inc. 1.st. **each** end of needle on 3rd and every following 6th row to 49 sts. on needle. ***(16—49 sts.)*** ***(18—51 sts.)***.
Continue even until sleeve measures 16 ins. from beginning or desired length, ending with purl row.

To shape cap: Cast off 3 sts. beginning next 2 rows.
3rd row: K1. K2tog. Knit to last 3 sts. Sl.1. K1. p.s.s.o. K1.
4th row: Purl. Repeat 3rd and 4th rows to 5 sts. on needle, ending with purl row.
Next row: K1. Sl.1. K2tog. p.s.s.o. K1. Cast off.

COLLAR AND FRONT BORDER: With No. 1 needles cast on 5 sts.
Work even in Moss st. for same number of rows as front edge to 1st. dec. at neck.
Keeping outside edge even, continue in Moss st. inc. 1.st. at inside edge on next and every alternate row to 17 sts. on needle.
Continue even for 7 ins. ***(16—7½ ins.)*** ***(18—8 ins.)***.
Dec. 1.st. at shaped edge **every** row to 1.st. on needle. Fasten off.
Make another piece to correspond.

BORDER (for style without Collar): With No. 1 needles cast on 5 sts.
Work even in Moss st. for same number of rows as front edge to 1st. dec. Mark this length with a thread.
Continue in Moss st. for length sufficient, when slightly stretched, to go around entire neck. Mark this amount with another thread.
Continue even for same length as 1st. portion. Cast off.

POCKET: With No. 1 needles cast on 21 sts. Work even in Moss st. for 7 ins. Cast off. Make another pocket to correspond.

TO MAKE UP: Block and Press each piece as given on page 29 to measurements as given at beginning of instructions. Sew side and sleeve seams. Sew in sleeves. Sew decreased edges of collar together and placing seam at centre back of neck, sew inside edge of collar and front border in position. If border alone is being used, pin marked places at 1st. dec. on each front and sew in position. Around each cuff, lower and front edges and each pocket crochet 1 row s.c. being careful to keep crochet even and not too full. **Turn.** Work 1.s.s. in each s.c. of previous row being careful that edges will stretch evenly with the knitting.
Centering pockets on side seams, having the bottoms 15 ins. from lower edge for Long Coat or at lower edge for Short Coat, sew in position.

THE SHORT COAT

The stitches are the same as for the Long Coat throughout. No. 3 needles are used **throughout** the Back, the Fronts and the Sleeves. The length before shaping armholes is 16 ins. instead of 31 ins. and be sure there are the same number of rows on each piece. The Border, Collar and Pockets are worked on No. 1 needles exactly as given for the Long Coat. Block and Press each piece as given on page 29 to measurements as given at beginning of instructions. Make up as given for the Long Coat.

P&B WOOLS

The Basic Sheath Dress

Shown on Cover (right) with matching Blouson Cardigan and on page 4 under the Knitted Coats

MATERIALS:
The simplest lines lend an enduring smartness to this sheath dress which can be knitted in three different kinds of yarn to give three different colour and texture effects. In Beehive Fine Tweed it is bordered with Beehive Fine Crepe, matching one of the colours in the tweed. This combination requires 12 ozs. *(16—13 ozs.)* *(18—14 ozs.)* and 1 oz. of trim colour. For a crepe finish, use Beehive Fine Crepe allowing 18 ozs. *(16—20 ozs.)* *(18—22 ozs.)* and border it with the same colour or a contrast, allowing 1 oz. extra for this purpose. A smooth finish is obtained by using P & B Pearl Twist and you will need 15 ozs. *(16—16 ozs.)* *(18—17 ozs.)* of this wool with additional 1 oz. in the same colour or contrast for the borders. As these specified yarns have been used to test these instructions for tension, accuracy and size, do be sure to choose one of these three outstanding yarns for this design in order to be satisfied with your knitting. You will also need:—Two No. 11 Queen Bee Knitting Needles. One No. 11 Circular Knitting Needle. One No. 4 Steel Crochet Hook (American Gauge). Length of Elastic. Belt Buckle. 1 yard Grosgrain Ribbon, 1 inch wide.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust	32 ins.	34 ins.	36 ins.
Waist	27 "	28 "	30 "
Hips (7 ins. from waistline)	35 "	37 "	39 "
Blocking Measurements			
Blouse—Bust	33 "	35 "	37 "
Length from top of shoulder	15½ "	15½ "	16 "
Skirt—Waist	27 "	28 "	30 "
Hips (7 ins. from waistline)	36 "	38 "	40 "
Length	29 "	29 "	29 "
Width all round at hem	45 "	47 "	49 "

Tension: 8 sts. and 11 rows = 1 inch with No. 11 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

SKIRT—With circular needle cast on 352 sts. *(16—368 sts.)* *(18—384 sts.)*. Join in round, being careful not to twist sts. Tie white thread to mark beginning of round.
Knit 7 ins. even in Stocking st.
1st decreasing round: *K20. K2tog. *(16—* K21. K2tog.)* *(18—* K22. K2tog.)*. Repeat from * to end of round. Knit 6 ins. even.
2nd decreasing round: *K19. K2tog. *(16—* K20. K2tog.)* *(18—* K21. K2tog.)*. Repeat from * to end of round.
Continue decreasing 16 sts. in round in this manner by having 1.st. less between decreasings after working 5 ins. even once, then 4 ins. even once.
Skirt now measures 22 ins. from beginning. (Hipline). 288 sts. on needle. *(16—304 sts.)* *(18—320 sts.)*.
Continue decreasing, as before, working 1½ ins. even 3 times, 1 inch even twice. 208 sts. on needle. *(16—224 sts.)* *(18—240 sts.)*.
Continue even until work measures 29 ins. from beginning, or desired length. Cast off.

BLOUSE—FRONT: Cast on 104 sts. *(16—112 sts.)* *(18—120 sts.)*. Purl 1 row.
Next row: Knit, increasing 10 sts. evenly spaced across row. 114 sts. on needle. *(16—122 sts.)* *(18—130 sts.)*.
Continue in Stocking st. inc. 1.st. each end of needle on 9th and every following 10th row to 128 sts. on needle. *(16—136 sts.)* *(18—144 sts.)*.
Continue even until work measures 8½ ins. from beginning, or desired length, ending with purl row.

To shape armholes: Cast off 6 sts. *(16—7 sts.)* *(18—8 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 100 sts. on needle. *(16—104 sts.)* *(18—106 sts.)*.
Continue even in Stocking st. until armhole from first shaping measures 3½ ins. *(16—3½ ins.)* *(18—4 ins.)* ending with **knit** row.

To shape neck: K1. P39. *(16—K1. P41)* *(18—K1. P42)*. Cast off 20 sts. for neck. Purl to last st. K1.
Working on last 40 sts. *(16—42 sts.)* *(18—43 sts.)*, dec. 1.st. at neck edge **every** row to 25 sts. on needle. *(16—25 sts.)* *(18—26 sts.)*, then every alternate row to 16 sts. on needle. *(all sizes)*.
Continue even until armhole from first shaping measures 7 ins. *(16—7 ins.)* *(18—7½ ins.)*.

To shape shoulder: At armhole edge cast off 8 sts. every alternate row twice.

With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond, being careful to have all shapings for opposite side.

BACK: Cast on 104 sts. *(16—112 sts.)* *(18—120 sts.)* and work exactly as given for Front to 100 sts. on needle. *(16—104 sts.)* *(18—106 sts.)*.
Continue even in Stocking st. until armhole from first shaping measures 5 ins. *(16—5 ins.)* *(18—5½ ins.)* ending with **knit** row.

To shape neck: K1. P32. *(16—K1. P34)* *(18—K1. P35)*. Cast off 34 sts. for neck. Purl to last st. K1.
Working on last 33 sts. *(16—35 sts.)* *(18—36 sts.)*, dec.1.st.at neck edge **every** row to 16 sts. on needle. *(all sizes)*.
Continue even until armhole from first shaping measures 7 ins. *(16—7 ins.)* *(18—7½ ins.)*.
Shape shoulder as given for Front.
With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond, being careful to have all shapings for opposite side.

SLEEVES: Cast on 94 sts. *(16—94 sts.)* *(18—100 sts.)*.
Work 1 inch even in Stocking st. ending with purl row.

To shape cap: Cast off 3 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row. Repeat last 4 rows to 22 sts. on needle. Cast off.

BELT: Cast on 14 sts. Continue even in Stocking st. for 32 ins. *(16—33 ins.)* *(18—35 ins.)*. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29 to measurements as given at beginning of instructions. Sew side, shoulder and sleeve seams of blouse. Sew in sleeves. With right side of work facing, join trim colour to cuff edge. Crochet 1 row s.c. along edge. Join with s.s. Ch. 1. **Turn.** Work 3 more rounds s.c. to correspond. Fasten off. Work these 4 rows around other cuff and neck edge. With matching colour, work 2 rounds s.c. around hem of skirt. Sew skirt to blouse at waistline. Crochet casing for elastic and make up belt as given for Dress, on page 3.

STOLE *(Continued from page 3)*
Continue in Stocking st. casting on 7 sts. beginning next 2 rows. (127 sts. on needle). Proceed:—

1st row: K15. K2tog. *Wl.fwd. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 18 sts. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K15.
2nd and alternate rows: K1. Purl to last st. K1.
3rd row: K15. K2tog. *Wl.fwd. K5. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 22 sts. Wl.fwd. K5. Wl.fwd. Sl.1. K1. p.s.s.o. K15.
5th row: As 3rd row.
7th row: K17. *Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K3. Repeat from * to last 14 sts. K14.
8th row: K1. Purl to last st. K1. These 8 rows complete one pattern.
Continue even in pattern until work measures approx. 41 ins. ending with 1st. pattern row. Cast off purlways. Make another piece exactly the same.

TO MAKE UP: Block and Press each piece as given on page 29. Sew the two cast-off edges together for centre back. Turn under half of Stocking st. borders and hem on wrong side around stole.

The New Blouson Cardigan

Shown on Cover (right) with matching Sheath Dress

MATERIALS:
Wide collared neckline and matching cuffs add fashion-wise details to this drawstring blouson. Designed to complement the Sheath Dress, the same choice of three outstanding dress yarns are used. As shown in Beehive Fine Tweed, it takes 8 ozs. (*16—8 ozs.*) (*18—9 ozs.*) with 2 ozs. of Beehive Fine Crepe for borders and drawstring. In Beehive Fine Crepe, the quantity required is 13 ozs. (*16 and 18—14 ozs.*) allowing 2 ozs. extra for matching or contrasting trim. In P & B Pearl Twist, 11 ozs. are needed. (*16 and 18—12 ozs.*). The trim requires 1 oz. more. In order to assure yourself the pleasure of knitting a completely satisfactory garment, be sure to make one of these specified yarns your choice. You will also require:—Two No. 11 Queen Bee Knitting Needles. One No. 4 Steel Crochet Hook (American Gauge). 7 Buttons.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	35 "	37 "	39 "
Length from top of shoulder	18 "	18 "	18½ "
Length of sleeve underarm seam (cuff turned up)	17 "	17 "	17 "

Tension: 8 sts. and 11 rows = 1 inch with No. 11 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

BACK: Cast on 136 sts. (*16—144 sts.*) (*18—152 sts.*).
Work 2 ins. Stocking st. ending with purl row.

To make hem: Fold the cast-on edge, away from you, up to meet the sts. on the needle, thus having wrong sides of work facing each other. Insert right hand needle through 1st. st. as usual and then through the 1st. loop on the cast-on row. Wool over needle and draw a st. through the cast-on loop and the st. on the needle, thus knitting the st. on left hand needle together with the loop on the cast-on row. Slip st. off left hand needle as usual. Continue in this manner across entire row, taking care not to miss any of the cast-on loops.

Continue even in Stocking st. until work measures 10½ ins. from fold, ending with purl row.
When knitted to correct tension, work should stretch, very easily in width, to one half of the finished bust measurement.

To shape armholes: Cast off 6 sts. (*16—7 sts.*) (*18—8 sts.*) beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 104 sts. on needle. (*16—108 sts.*) (*18—112 sts.*).
Continue even until armhole from first shaping measures 7½ ins. (*16—7½ ins.*) (*18—8 ins.*), ending with **knit** row.

To shape neck and shoulders: K1. P32. Cast off 38 sts. (*16—K1. P33. Cast off 40 sts.*) (*18—K1. P34. Cast off 42 sts.*). Purl to last st. K1.
Working on last 33 sts. (*16—34 sts.*) (*18—35 sts.*), at armhole edge cast off 10 sts. on next and following alternate row, at same time dec. 1.st. at neck edge **every** row 4 times. Cast off remaining 9 sts. (*16—10 sts.*) (*18—11 sts.*).

With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond, being careful to have all shapings for opposite side.

LEFT FRONT: Cast on 63 sts. (*16—67 sts.*) (*18—71 sts.*).
Work 2 ins. Stocking st. ending with purl row. Make hem as given for Back.
Next row: Cast on 20 sts. for front border and facing. Purl across row.
Continue even in Stocking st. until same length as Back to armholes, ending at side edge.

To shape armhole: Cast off 6 sts. (*16—7 sts.*) (*18—8 sts.*) beginning next row for armhole.
Dec. 1.st. at armhole edge every alternate row to 67 sts. on needle. (*16—69 sts.*) (*18—71 sts.*).
Continue even until armhole from first shaping measures 5 ins. (*16—5 ins.*) (*18—5½ ins.*) ending at front edge.

To shape neck: Cast off 25 sts. beginning next row for neck. Dec. 1.st. at neck edge **every** row to 29 sts. on needle. (*16—30 sts.*) (*18—31 sts.*).
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: At armhole edge, cast off 10 sts. every alternate row twice then 9 sts. (*16—10 sts.*) (*18—11 sts.*) once.

RIGHT FRONT: Cast on 63 sts. (*16—67 sts.*) (*18—71 sts.*).
Work 2 ins. Stocking st. ending with purl row. Cast on 20 sts. for front border and facing.
Next row: Knit the 20 cast-on sts. Make hem as given for Back. Continue even in Stocking st. for ½ inch (*16—½ inch*) (*18—1 inch*) ending at front edge.

Next row: (1st. buttonhole). K3. Cast off 3 sts. K8. Cast off 3 sts. Knit to end of row.
Next row: K1. Purl to cast-off sts. Cast on 3 sts. P8. Cast on 3 sts. P2. K1.
Working 6 more buttonholes approx. 2¼ ins. apart, having top one ½ inch from neck edge, continue to correspond to Left Front being careful to have all shapings for opposite side.

SLEEVES: (*Sizes 14 and 16 are written exactly the same*).
To make cuff: Cast on 56 sts. (*18—60 sts.*). Work 1 inch even in Stocking st. ending with purl row.
Next row: Knit, inc. 1.st. in every 7th st.

Beginning with purl row, work 2 more ins. ending with **knit row. Knit 1 row, purl 1 row to make 2 purl rows on right side of work, through which the crocheted edge will be worked later.
Beginning with purl row, work 2 ins. even, ending with purl row.**

Next row: Knit, knitting together every 7th and 8th sts. 56 sts. on needle. (*18—60 sts.*).
Beginning with purl row, work 1 inch even ending with purl row. Make hem as given for Back.

Beginning with **knit** row (to reverse cuff) continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 100 sts. on needle. (*18—106 sts.*).
Continue even until sleeve measures 20 ins. from fold of cuff, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row. Repeat last 4 rows to 24 sts. on needle. Cast off remaining sts.

COLLAR: Cast on 194 sts. (*16—200 sts.*) (*18—206 sts.*).
Work 1 inch even in Stocking st. ending with purl row.
Next row: Knit, inc. 1.st. in every 10th st.
Work from ** to ** as given for cuff.
Next row: Knit, knitting together every 10th and 11th sts. 194 sts. on needle. (*16—200 sts.*) (*18—206 sts.*).
Beginning with purl row, work 1 inch even ending with purl row. Make hem as given for Back. Purl 1 row. Cast off tightly and evenly enough to fit around neck.

DRAWSTRING: With trim, crochet a Ch. 50 ins. long. Work 4 rows s.c. on Ch. then 1 row s.s. around entire piece. Fasten off.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew in sleeves. Turn under front facings and sew in position. Sew in buttonhole st. around buttonholes. Sew buttons to correspond to buttonholes. With trim, crochet 4 rows s.c. back and forth, around cuffs and collar as illustrated, being **very careful** that the crochet stretches evenly with the knitting. Sew collar in position, placing ends ½ inch from each front edge. Thread drawstring through hem at lower edge.

P&B WOOLS

The Deep "V" Neck Cardigan

Both styles as shown on opposite page can be knitted from the instructions given below

MATERIALS:
Two entirely different styles can be knitted from these instructions; in wool with crocheted trim for casual wear or with a lush angora collar for more formal occasions. Either style can be knitted with long or short sleeves. The wool to use is P & B Superior Double Knitting Patonised, in order to produce a garment exactly as pictured, when knitting from these instructions. You will require:—7 (2 oz.) balls. *(18—7 balls) (20—8 balls)*. Allow 1 ball less for short sleeves. Two No. 10 and two No. 7 Beehive Knitting Needles. 2 Buttons. For the Angora Collar, you will need:—8 (¼ oz.) balls of Beehive Angora or 3 (½ oz.) balls of Fuzzy-Wuzzy. Two No. 6 Beehive Knitting Needles. One No. 00 Steel Crochet Hook (American Gauge) for Crocheted Trim. 2 Buttons.

MEASUREMENTS:	Size 16	Size 18	Size 20
Bust measurement	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	35 "	37 "	39 "
Length from top of shoulder	17½ "	18 "	18 "
Length of long sleeve underarm seam	17 "	17 "	17 "
Length of short sleeve underarm seam	5½ "	5½ "	5½ "

Tension: 5 sts. = 1 inch and 13 rows = 2 ins. with No. 7 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 16. Any changes necessary for sizes 18 and 20 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 75 sts. *(18—81 sts.) (20—87 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 2½ ins. ending with 2nd row.
Change to No. 7 needles and proceed:—
Next row: K5. *(18—K8) (20—K11)*. *Inc. 1.st. in next st. K8. Repeat from * 6 times. Inc. 1.st. in next st. Knit to end of row. 83 sts. on needle. *(18—89 sts.) (20—95 sts.)*.
Beginning with purl row, continue even in Stocking st. for 55 more rows, ending with purl row.
When knitted to correct tension, work should measure approx. 10½ ins. from beginning and should stretch, very easily in width, to one half of the finished bust measurement.

To shape armholes: Cast off 5 sts. *(18—6 sts.) (20—7 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 65 sts. on needle. *(18—65 sts.) (20—67 sts.)*.
Continue even in Stocking st. until armhole from first shaping measures 7 ins. *(18 and 20—7½ ins.)* ending with purl row.

To shape shoulders: Cast off 7 sts. *(18—7 sts.) (20—8 sts.)* beginning next 2 rows, then 7 sts. *(all sizes)* beginning following 4 rows. Cast off remaining 23 sts.

LEFT FRONT: With No. 10 needles cast on 41 sts. *(18—43 sts.) (20—45 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last 5 sts. P1. K4. (front edge).
2nd row: K5. *P1. K1. Repeat from * to end of row. (side edge).
Repeat these 2 rows for 2½ ins. ending with 2nd row.
Change to No. 7 needles and proceed:—
Next row: K5. *(18—K7) (20—K9)*. *Inc. 1.st. in next st. K7. Repeat from * 3 times. K4. 45 sts. on needle. *(18—47 sts.) (20—49 sts.)*.
Keeping the border of 4 sts. in Garter st. at front edge as before, and beginning with purl row, work 5 rows even in Stocking st. ending with purl row.
Next row: Knit to last 5 sts. K2tog. (thus dec. 1.st. inside border). K3.
Continue in Stocking st. dec. 1.st. inside border in this manner, every 10th row to 40 sts. on needle. *(18—42 sts.) (20—44 sts.)* ending at front edge.
Work 9 rows even ending at side edge. Work now measures same as Back to armholes.

To shape armhole: Cast off 5 sts. *(18—6 sts.) (20—7 sts.)*. Knit to last 5 sts. K2tog. K3.
Dec. 1.st. at armhole edge every alternate row, at same time, continue dec. 1.st. inside border every 10th row to 28 sts. on needle. *(18—28 sts.) (20—29 sts.)*.
Keeping armhole edge even, continue dec. 1.st. inside border as before to 25 sts. on needle. *(18—25 sts.) (20—26 sts.)*.
Continue even until armhole measures same as Back to shoulders, ending at armhole edge.

To shape shoulder: At armhole edge, cast off 7 sts. *(18—7 sts.) (20—8 sts.)* once, then 7 sts. *(all sizes)* twice.
On remaining 4 sts. knit 2¼ ins. Garter st. to be sewn across one half of back of neck. Cast off.

RIGHT FRONT: With No. 10 needles cast on 41 sts. *(18—43 sts.) (20—45 sts.)*.
1st row: K4. *P1. K1. Repeat from * to last st. K1. (side edge).
2nd row: *K1. P1. Repeat from * to last 5 sts. K5. (front edge).
Repeat these 2 rows once.
5th row: (1st. buttonhole). K2. (Wl.fwd. K2tog. for buttonhole). Rib to end of row.
6th row: As 2nd row.
Working 2nd buttonhole 1¼ ins. above 1st. repeat 1st. and 2nd rows until work measures 2½ ins. from beginning ending with 2nd row.
Change to No. 7 needles and proceed:—
Next row: K10. *Inc. 1.st. in next st. K7. Repeat from * twice. Inc. 1.st. in next st. Knit to end of row. 45 sts. on needle. *(18—47 sts.) (20—49 sts.)*.
Keeping the border of 4 sts. in Garter st. at front edge as before, and beginning with purl row, work 5 rows even in Stocking st. ending with purl row.
Next row: K3. Sl.1. K1. p.s.s.o. (thus dec. 1.st. inside border). Knit to end of row.
Continue to correspond to Left Front being careful to have all shapings for opposite side.

LONG SLEEVES: *(Sizes 18 and 20 are written exactly the same)*.
With No. 10 needles cast on 37 sts. *(18—39 sts.)*.
Work 2½ ins. (K1. P1) ribbing as given for Back ending with 2nd row.
Change to No. 7 needles and proceed:—
Next row: K1. *(18—K3)*. *Inc. 1.st. in next st. K5. Repeat from * to end of row. 43 sts. on needle. *(18—45 sts.)*.
Beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every 8th row to 65 sts. on needle. *(18—69 sts.)*.
Continue even in Stocking st. until sleeve measures 17 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row. Repeat last 4 rows to 19 sts. on needle. *(18—23 sts.)*. Cast off remaining sts.

SHORT SLEEVES: *(Sizes 18 and 20 are written exactly the same)*.
With No. 10 needles cast on 51 sts. *(18—56 sts.)*.
Work 1 inch (K1. P1) ribbing as given for Back ending with 2nd row.
Change to No. 7 needles and proceed:—
Next row: K3. *(18—K7)*. *Inc. 1.st. in next st. K5. Repeat from * to end of row. 59 sts. on needle. *(18—63 sts.)*.
Beginning with purl row, continue in Stocking st. inc. 1.st. each end of needle every 8th row to 65 sts. on needle. *(18—69 sts.)*.
Continue even in Stocking st. until sleeve measures 5½ ins. from beginning ending with purl row.
Shape cap as given for Long Sleeves.

(Continued on page 9)

CARDIGAN *(Continued from page 8)*

COLLAR: Wind 2 balls of Beehive Angora or 2 balls of Fuzzy-Wuzzy together to make one ball of double yarn.
With No. 6 needles cast on 3 sts.
1st row: Knit.
2nd row: Inc. 1.st. in 1st. st. Knit to end of row.
Repeat these 2 rows to 16 sts. on needle.
Continue in Garter st. (plain knitting every row) inc. 1.st. at shaped edge every 8th row to 24 sts. on needle.
Knit even until work measures 22 ins. from beginning with Beehive Angora or 23 ins. with Fuzzy-Wuzzy, being very careful not to stretch work, and end at shaped edge.
Dec. 1.st. at shaped edge on next and every following 8th row to 16 sts. on needle, then every alternate row to 3 sts. on needle. Cast off.

CROCHETED TRIM: Ch. 4 sts. 6 d.c. in 4th Ch. from hook. *Ch. 3. Turn. 6 d.c. in 1st. st.* Repeat from * to * for length sufficient to go along entire fronts and back of neck as illustrated. Fasten off.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew in sleeves. Sew the cast-off sts. of neckband together and placing this seam at centre back of neck, sew in position. Sew buttons to correspond to buttonholes.
For Collared Cardigan:—Beginning at top of ribbing on each front, sew shaped edge of collar to front edges and back of neck.
For Trimmed Cardigan:—Placing crocheted trim to inside edge of borders, sew in position.

The Raglan Cardigan-Blouse

Shown on page 11 (left)

MATERIALS:
Raglan sleeves outlined with eyelets, short and gathered at the waist, with a soft bow finishing the "V" neckline, this cardigan-blouse is wise to fashion's ways. Knit it with Beehive Fingering 3 ply Patonised in one of the delightful colours of this wool or with Patwin 3 ply Patonised and you are assured of producing the same charming garment as shown. You will need:—7 ozs. *(16 and 18—8 ozs.)* of either yarn. Set of 4 No. 12 and set of 4 No. 10 Queen Bee Knitting Needles with points at both ends. Two No. 12 Queen Bee Knitting Needles. One No. 10 Circular Knitting Needle. 7 Buttons.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	33 "	35 "	37 "
Length at centre back including tie	17¾ "	18 "	18¼ "
Length of sleeve underarm seam	14½ "	14½ "	14½ "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

Beginning at neck with circular needle cast on 65 sts. *(16—67 sts.)* *(18—68 sts.)*.
Working backwards and forwards on circular needle proceed:—

1st row: Inc. 1.st. in 1st. st. K1. *Wl.fwd. K1. Wl.fwd. (Inc. 1.st. in next st. K2)4 times. Wl.fwd. K1. Wl.fwd.* (Inc. 1.st. in next st. K2)11 times. *(16—K2. (Inc. 1.st. in next st. K2)11 times.)* *(18—(Inc. 1.st. in next st. K2)12 times)*. Repeat from * to * once. Inc. 1.st. in next st. K1. 94 sts. on needle. *(16—96 sts.)* *(18—98 sts.)*.
2nd and alternate rows: K1. Purl to last st. K1.

3rd row: K4. *Wl.fwd. K1. Wl.fwd. K18. Wl.fwd. K1. Wl.fwd.* K46. *(16—K48)* *(18—K50)*. Repeat from * to * once. K4.

5th row: Inc. 1.st. in 1st. st. K4. *Wl.fwd. K1. Wl.fwd. K20. Wl.fwd. K1. Wl.fwd.* K48. *(16—K50)* *(18—K52)*. Repeat from * to * once. K3. Inc. 1.st. in next st. K1.

7th row: K7. *Wl.fwd. K1. Wl.fwd. K22. Wl.fwd. K1. Wl.fwd.* K50. *(16—K52)* *(18—K54)*. Repeat from * to * once. K7.

9th row: Inc. 1.st. in 1st st. K7. *Wl.fwd. K1. Wl.fwd. K24. Wl.fwd. K1. Wl.fwd.* K52. *(16—K54)* *(18—K56)*. Repeat from * to * once. K6. Inc. 1.st. in next st. K1.

11th row: K10. *Wl.fwd. K1. Wl.fwd. K26. Wl.fwd. K1. Wl.fwd.* K54. *(16—K56)* *(18—K58)*. Repeat from * to * once. K10.

13th row: (Front edge) Inc. 1.st. in 1st. st. K10. *Wl.fwd. K1 (Seam st.) Wl.fwd. K28. (for Sleeve) Wl.fwd. K1. (Seam st.) Wl.fwd.* K56. *(16—K58)* *(18—K60)* for Back. Repeat from * to * once. K9. Inc. 1.st. in next st. K1. (Front edge). 148 sts. on needle. *(16—150 sts.)* *(18—152 sts.)*. There are now 7 eyelets at each side of each of the 4 seam sts.

Continue in this manner making a Wl.fwd. before and after each of the 4 seam sts. every **knit** row and inc. 1.st. each end of needle (front edges) every 4th row, until there are 23 eyelets *(16—25 eyelets)* *(18—27 eyelets)* in all, at each side of each of the 4 seam sts. and 12 sts. *(16—13 sts.)* *(18—14 sts.)* have been increased at each front edge, and end with purl row.

Continue making a Wl.fwd. before and after each of the 4 seam sts. as before **but** inc. 1.st. each end of needle on next and every **alternate** row until there are 35 eyelets *(16—37 eyelets)* *(18—39 eyelets)* in all, at each side of the 4 seam sts. ending with purl row. 412 sts. on needle. *(16—432 sts.)* *(18—452 sts.)*.

To make body: Cast on 5 sts. for over lap and knit them. K62. *(16—K65)* *(18—K68)*. Slip next 86 sts. *(16—90 sts.)* *(18—94 sts.)* onto a thread and leave for one sleeve. Cast on 4 sts. for underarm *(16—6 sts.)* *(18—8 sts.)*. K116. *(16—K122)* *(18—K128)*. Slip next 86 sts. *(16—90 sts.)* *(18—94 sts.)* onto a thread and leave for other sleeve. Cast on 4 sts. for underarm *(16—6 sts.)* *(18—8 sts.)*. Knit remaining 62 sts. *(16—65 sts.)* *(18—68 sts.)*. Cast on 5 sts. for over lap. 258 sts. on needle. *(16—274 sts.)* *(18—290 sts.)*. Proceed:—

1st row: (K1. P1)5 times. K1. Purl to last 11 sts. K1. (P1. K1)5 times.
2nd row: (K1. P1)5 times. Knit to last 10 sts. (P1. K1)5 times.
3rd and 4th rows: As 1st. and 2nd rows.

****5th row:** (1st. buttonhole) (K1. P1)twice. K1. Cast off 2 sts. (P1. K1)twice. Purl to last 11 sts. K1. (P1. K1)5 times.
6th row: (K1. P1)5 times. Knit to last 8 sts. P1. K1. P1. Cast on 2 sts. K1. (P1. K1)twice.
Repeat 1st. and 2nd rows 6 times. (12 rows in all).****

Repeat from ** to ** until there are 5 buttonholes then repeat 1st. and 2nd rows 5 times, 1st. row once. Work should measure approx. 7½ ins. from underarm.
Change to No. 12 needles and proceed:—

Next row: (K1. P1)5 times. *K2. K2tog. Repeat from * to last 12 sts. K2. (P1. K1)5 times. 199 sts. on needle. *(16—211 sts.)* *(18—217 sts.)*.
Next row: (K1. P1)twice. K1. Cast off 2 sts. *P1. K1. Repeat from * to end of row.
Next row: (K1. P1)5 times. K2. *P1. K1. Repeat from * to last 11 sts. P1. K2. P1. K1. P1. Cast on 2 sts. K1. (P1. K1)twice. Keeping 11 sts. in Moss st. at each end of work and working 7th buttonhole on following 15th and 16th rows, continue even in (K1. P1) ribbing until ribbed portion measures 2½ ins. Cast off **loosely** in ribbing.

To make one sleeve: Using the set of 4 No. 10 needles slip the sts. left for one sleeve onto 3 needles. With right side of work facing, join wool and knit across each needle. Pick up and knit 4 sts. *(16—6 sts.)* *(18—8 sts.)* along underarm. 90 sts. on needles. *(16—96 sts.)* *(18—102 sts.)*. Join in round and knit even for 12 ins.
Next round: *K1. K2tog. Repeat from * to end of round. 60 sts. in round. *(16—64 sts.)* *(18—68 sts.)*.
Change to set of 4 No. 12 needles and work 2½ ins. (K1. P1) ribbing. Cast off **loosely** in ribbing. Work other sleeve to correspond.

To make tie: Using two of the set of 4 No. 10 needles cast on 11 sts.
Next row: *K1. P1. Repeat from * to end of row.
Repeat this row till work measures 45 ins. when stretched. Cast off **loosely** in ribbing.

TO MAKE UP: Sew the centre 23 ins. of tie around neck beginning and ending at the last increase row of neck shaping. Press lightly. Sew buttons to correspond to buttonholes.

JOINING WOOL

When you have to join a new ball of wool, or replace a knot, the simplest way is to join at the beginning of a row, even if you have to pull back a partly knitted row. It is preferable, if possible, to join at a seam edge so that the ends can be neatly darned into a seam when the garment is sewn up.

If you are working in rounds, or in straight work, and there is a knot in the wool you are using, cut out the knot. Unwind the plies of each of the two ends of wool, for about 2 ins. and splice as follows:—

In 2 ply, break off one of the threads from each length of wool; in 3 ply two from one end and one from the other; in 4 ply two from each end. Place the remaining ends together, thus forming the 2, 3, or 4 ply thickness again; twist them together with the fingers and knit in the usual way with the twisted wool thus formed.

Owing to the numerous processes through which wool has to pass, it is impossible to avoid occasional knots, so—**Remember** for a neat finish and comfort to the wearer, **never** knit a knot into your garment!—Either pull back to the seam, or splice.

A Trio of Handknits

Lady's Raglan
Cardigan-Blouse
See page 10

Diamond Lace Blouse
for Ladies and Teen-Agers
See page 12

Lady's One Button
Ribbed Jacket
See page 13

P.B WOOLS

The Diamond Lace Blouse

Shown on page 11 (centre)

MATERIALS:
Lace knitting in one of its simplest forms—little diamonds—can make this dainty blouse one of the highlights of your wardrobe. The original garment to test these instructions was knitted satisfactorily with Beehive Fingering 3 ply Patonised. Other accurate tests were made using Patwin 3 ply Patonised. In this way, when you are sure to use one or other of these dependable yarns, your blouse will knit up exactly as pictured. You will require:—6 ozs. (*16—6 ozs.*) (*18—7 ozs.*). Two No. 12 and two No. 10 Queen Bee Knitting Needles. One Medium Crochet Hook. 3 Press Fasteners.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	33 "	35 "	37 "
Length from top of shoulder	19 "	19 "	19½ "
Length of sleeve underarm seam	5 "	5 "	5 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

FRONT: With No. 12 needles cast on 100 sts. (*16—108 sts.*) (*18—116 sts.*).
Work 3½ ins. (K1. P1) ribbing inc. 1.st. at end of last row. Change to No. 10 needles and proceed:—

1st row: K21. (*16—K25*) (*18—K29*). *K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K13.* Repeat from * to * twice. Knit remaining 8 sts. (*16—12 sts.*) (*18—16 sts.*).
2nd and alternate rows: K1. Purl to last st. K1.
3rd row: K20. (*16—K24*) (*18—K28*). *K2tog. Wl.fwd. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Wl.fwd. Sl.1. K1. p.s.s.o. K11.* Repeat from * to * twice. Knit remaining 9 sts. (*16—13 sts.*) (*18—17 sts.*).
5th row: K21. (*16—K25*) (*18—K29*). *Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K13.* Repeat from * to * twice. Knit remaining 8 sts. (*16—12 sts.*) (*18—16 sts.*).
7th row: K22. (*16—K26*) (*18—K30*). *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K15.* Repeat from * to * twice. Knit remaining 7 sts. (*16—11 sts.*) (*18—15 sts.*).
8th row: As 2nd row. These 8 rows complete one pattern.
Work 1 more complete pattern.
Keeping continuity of pattern and working increased sts. in Stocking st. inc. 1.st. each end of needle on next and every following 8th row (the 1st. pattern row) to 117 sts. on needle. (*16—125 sts.*) (*18—133 sts.*).
Continue even in pattern until work measures approx. 12 ins. from beginning, or desired length, ending with 8th pattern row.
When knitted to correct tension, work should stretch, very easily in width, to one half of the finished bust measurement.

To shape armholes: Keeping continuity of pattern, cast off 6 sts. (*16—7 sts.*) (*18—8 sts.*) beginning next 2 rows, then dec. 1.st. each end of needle, every row, 10 times. 85 sts. on needle. (*16—91 sts.*) (*18—97 sts.*). Proceed:—

1st row: K2tog. K8. (*16—K2tog. K11*) (*18—K2tog. K14*). *K2tog. Wl.fwd. K1. (Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K1)twice. Wl.fwd. Sl.1. K1. p.s.s.o. K7.* Repeat from * to * twice. K1. K2tog. (*16—K4. K2tog.*) (*18—K7. K2tog.*).
2nd row: K1. Purl to last st. K1.
3rd row: K2tog. K6. (*16—K2tog. K9*) (*18—K2tog. K12*). *K2tog. (Wl.fwd. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o.) twice. Wl.fwd. K3. Wl.fwd. Sl.1. K1. p.s.s.o. K5.* Repeat from * to * twice. K1. K2tog. (*16—K4. K2tog.*) (*18—K7. K2tog.*).
4th row: K1. Purl to last st. K1. 81 sts. on needle. (*16—87 sts.*) (*18—93 sts.*). Proceed:—

Sizes 14 and 18—1st row: K2. *Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K1. Repeat from * to last st. K1.
2nd and alternate rows: K1. Purl to last st. K1.
3rd row: K3. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Repeat from * to end of row.
5th row: K2. *K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1. Repeat from * to last st. K1.
7th row: K1. K2tog. *Wl.fwd. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 6 sts. Wl.fwd. K3. Wl.fwd. Sl.1. K1. p.s.s.o. K1.
8th row: K1. Purl to last st. K1. These 8 rows complete pattern for remainder of front for sizes 14 and 18.

Size 16—1st row: K2. *K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1. Repeat from * to last st. K1.
2nd and alternate rows: K1. Purl to last st. K1.
3rd row: K1. K2tog. *Wl.fwd. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to last 6 sts. Wl.fwd. K3. Wl.fwd. Sl.1. K1. p.s.s.o. K1.
5th row: K2. *Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K1. Repeat from * to last st. K1.
7th row: K3. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Repeat from * to end of row.
8th row: K1. Purl to last st. K1. These 8 rows complete pattern for remainder of front for size 16.**

Continue even in pattern until armhole measures approx. 6 ins. from first shaping, ending with 7th pattern row. (*all sizes*).

To shape neck: K1. P26. Cast off 27 sts. purlways. P26. K1.
(*16—K1. P26. Cast off 33 sts. purlways. P26. K1*).
(*18—K1. P29. Cast off 33 sts. purlways. P29. K1*).
Working on last 27 sts. (*16—27 sts.*) (*18—30 sts.*) continue even in pattern until armhole from first shaping measures 7 ins. (*16—7 ins.*) (*18—7½ ins.*).

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 9 sts. (*16—9 sts.*) (*18—10 sts.*) every alternate row 3 times.

With right side of work facing, join wool at neck edge to remaining 27 sts. (*16—27 sts.*) (*18—30 sts.*) and work other side to correspond.

BACK: With No. 12 needles cast on 100 sts. (*16—108 sts.*) (*18—116 sts.*) and omitting neck shaping, work exactly as given for front until armhole from first shaping measures 7 ins. (*16—7 ins.*) (*18—7½ ins.*) ending with purl row.

To shape shoulders: Keeping continuity of pattern, cast off 9 sts. (*16—9 sts.*) (*18—10 sts.*) beginning next 6 rows. Cast off remaining sts.

SLEEVES: (*Sizes 14 and 16 are written exactly the same*).
With No. 12 needles cast on 76 sts. (*18—82 sts.*).
Work 1½ ins. (K1. P1) ribbing.
Next row: K1. P6. (*18—K1. P9*). (Inc. 1.st. in next st. purlways. P5)11 times. Purl to last st. K1. 87 sts. on needle. (*18—93 sts.*).
Change to No. 10 needles and continue even in pattern as given from ** to ** of Front for size 16 for all sizes until sleeve measures approx. 5 ins. from beginning ending with 3rd pattern row.
Next row: K1. Purl to last st. K1.

To shape cap: 1st row: Cast off 3 sts. (the st. on right hand needle after casting off, is counted as 1.st.). K2. *K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1. Repeat from * to last 4 sts. K4.
2nd row: Cast off 3 sts. Purl to last st. K1.
3rd row: K3tog. K3. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Repeat from * to last 3 sts. Sl.1. K2tog. p.s.s.o.
4th row: K1. Purl to last st. K1.
5th row: K2tog. K1. *K2tog. Wl.fwd. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K1. Repeat from * to last 2 sts. Sl.1. K1. p.s.s.o.
6th row: K1. Purl to last st. K1.
Repeat 3rd, 4th, 5th and 6th rows to 17 sts. on needle (*all sizes*) ending with 4th row. Cast off remaining sts.

(Continued on page 13)

The One Button Ribbed Jacket

Shown on page 11 (right)

MATERIALS:
Designed along the simplest lines, this jacket is knitted with Beehive Fingering 4 ply Patonised. The Fisherman's Rib Stitch gives depth and body to the knitted fabric, making this the perfect little jacket to have on hand for casual wear. When preparing these instructions, other satisfactory test garments were knitted with Patwin 4 ply Patonised and also P & B Heather Fingering Patonised. As a result of these tests, you can knit with confidence when you are careful to choose one of these three specified yarns for this design. You will need:—16 ozs. *(16—17 ozs.)* *(18 and 20—18 ozs.)*. Two No. 10 Queen Bee Knitting Needles. One Button.

MEASUREMENTS:	Size 14	Size 16	Size 18	Size 20
Bust measurement	32 ins.	34 ins.	36 ins.	38 ins.
Bust measurement of finished garment	34 "	36 "	38 "	40 "
Length from top of shoulder	22½ "	22½ "	23 "	23 "
Length of sleeve underarm seam	17 "	17 "	17 "	17 "

Tension: 7½ sts. and 10 rows = 1 inch in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16, 18 and 20 are written in brackets thus:—( ).

PATTERN: **1st row:** (right side facing). K1. *Insert point of right hand needle from front to back of work through the st. below the next st. on left hand needle. Knit this st. in the ordinary way, drawing the loop through to front of work onto right hand needle and dropping st. above off left hand needle. (The knitting of a st. in this manner will be termed "Knit below" throughout). P1. Repeat from * to last 2 sts. Knit below. K1.
2nd row: (wrong side facing). K1. *P1. Knit below. Repeat from * to last 2 sts. P1. K1. These 2 rows complete one pattern.

BACK: Cast on 109 sts. *(16—115 sts.)* *(18—123 sts.)* *(20—129 sts.)*.
Knit 1 row.
Continue even in pattern until work measures 15 ins. from beginning, or desired length, ending with 2nd pattern row.
When knitted to correct tension, work should measure in width, exactly one half of the finished bust measurement.

To shape armholes: Keeping continuity of pattern, cast off 4 sts. *(16—5 sts.)* *(18—6 sts.)* *(20—7 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 85 sts. on needle. *(16—87 sts.)* *(18—91 sts.)* *(20—93 sts.)*.
Continue even in pattern until armhole from first shaping measures 7 ins. *(16—7 ins.)* *(18 and 20—7½ ins.)* ending with 2nd pattern row.

To shape neck and shoulders: Work 28 sts. in pattern. Cast off 29 sts. Work 28 sts. in pattern.
(16—Work 28 sts. in pattern. Cast off 31 sts. Work 28 sts. in pattern)
(18—Work 30 sts. in pattern. Cast off 31 sts. Work 30 sts. in pattern)
(20—Work 30 sts. in pattern. Cast off 33 sts. Work 30 sts. in pattern).
Working on last 28 sts. *(16—28 sts.)* *(18 and 20—30 sts.)*, work 1 row even. Cast off.
With wrong side of work facing join wool at neck edge to remaining sts. Work 1 row even. Cast off.

BLOUSE *(Continued from page 12)*

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, left shoulder and sleeve seams. Sew right shoulder seam for 1½ ins. from armhole edge. Sew in sleeves. With right side of work facing, join wool to back of right shoulder at end of seam. Ch. 3. Work 1 row d.c. along back of shoulder to neck. Work 1 row s.c. evenly around neck and front edge of right shoulder. Turn and work 1.s.s. in each s.c. to neck edge. Around neck, work picot edge as follows:—*Ch. 3. 1.s.c. in 1st. Ch. Miss 1.st. 1.s.c. in next st. Repeat from * around neck. Work 1.s.s. in each d.c. along shoulder. Fasten off. Sew press fasteners on right shoulder to close the crocheted plaquet.

LEFT FRONT: **To make pocket piece:** Cast on 40 sts.
Work 4 ins. even in Stocking st. ending with purl row.
Next row: K3. (K2tog. K6)4 times. K2tog. K3. (35 sts. on needle).
Next row: Knit.
Beginning with 2nd pattern row *(16—2nd pattern row)* *(18 and 20—1st. pattern row)*, work 11 rows even in pattern. Break wool. Leave these sts. on spare needle.

Cast on 53 sts. *(16—57 sts.)* *(18—59 sts.)* *(20—63 sts.)*.
Knit 1 row.
Continue even in pattern until work measures 4½ ins. from beginning ending with 2nd pattern row.

To make pocket edge: Next 8 rows: Work 9 sts. *(16—11 sts.)* *(18—12 sts.)* *(20—14 sts.)* in pattern. K35 for pocket edge. Work remaining 9 sts. *(16—11 sts.)* *(18—12 sts.)* *(20—14 sts.)* in pattern.
9th row: Work 9 sts. *(16—11 sts.)* *(18—12 sts.)* *(20—14 sts.)* in pattern. Cast off 35 sts. Work in pattern to end of row.
10th row: Work in pattern to cast-off sts. With purl side of pocket piece facing, work across these 35 sts. in pattern. Work remaining 9 sts. *(16—11 sts.)* *(18—12 sts.)* *(20—14 sts.)* in pattern.
Continue even in pattern until same length as Back to armholes ending with 2nd pattern row.

To shape armhole: Keeping continuity of pattern, cast off 5 sts. *(16—6 sts.)* *(18—7 sts.)* *(20—8 sts.)* beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 41 sts. on needle. *(16—41 sts.)* *(18—43 sts.)* *(20—45 sts.)*.
Continue even in pattern until armhole from first shaping measures 4½ ins. *(16—4½ ins.)* *(18 and 20—5 ins.)* ending at front edge.

To shape neck: Keeping continuity of pattern, cast off 10 sts. beginning next row for neck, then dec. 1.st. at neck edge every alternate row to 28 sts. on needle. *(16—28 sts.)* *(18 and 20—30 sts.)*.
Continue even in pattern until armhole measures same as Back to shoulders.
With right side of work facing, knit 16 rows Garter st. (plain knitting every row). Cast off.

RIGHT FRONT: Work exactly as given for Left Front, being careful to have all shapings for opposite side.

SLEEVES: Cast on 45 sts. *(16—47 sts.)* *(18—49 sts.)* *(20—51 sts.)*.
Knit 17 rows Garter st.
Work 10 rows even in pattern.
Keeping continuity of pattern and working increased sts. in pattern, inc. 1.st. each end of needle on next and every following 10th row to 85 sts. on needle. *(16—87 sts.)* *(18—89 sts.)* *(20—91 sts.)*.
Continue even in pattern until sleeve measures 17 ins. from beginning, or desired length, ending with 2nd pattern row.

To shape cap: Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 21 sts. on needle. Cast off.

BORDER FOR LEFT FRONT: Cast on 10 sts. Knit even in Garter st. until work measures 19½ ins. *(16—19½ ins.)* *(18 and 20—20 ins.)* when slightly stretched. Break wool. Leave these sts. on spare needle.

BORDER FOR RIGHT FRONT: Cast on 10 sts. Knit even in Garter st. for same number of rows as other border. **Do not break wool.**

NECKBAND: Sew shoulder seams. Knit the 10 sts. of Right Front Border, pick up and knit 74 sts. *(16—76 sts.)* *(18—78 sts.)* *(20—80 sts.)* around neck. Knit the 10 sts. of Left Front Border.
Next row: (buttonhole). Knit to last 7 sts. Cast off 3 sts. K4.
Next row: K4. Cast on 3 sts. Knit to end of row.
Knit 13 rows Garter st. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Sew front borders and pocket pieces in position. Sew side and sleeve seams. Sew in sleeves. Sew button to correspond to buttonhole.

Little Cardigans in Caressa

for Ladies and Teen-Agers
See page 15

Little Cardigans in Caressa

Both styles as shown on opposite page can be knitted from the instructions given below

MATERIALS:
Short and trim, this versatile cardigan can be knitted with Cable Stitch fronts, wool collar and three-quarter length sleeves or you can make it with plain fronts, long sleeves and an exquisite Angora collar. The original garments as shown in the photograph were knitted with Beehive Caressa for luxurious softness. Other accurate test models were knitted with hard wearing P & B Speedwell Quick Knit Wool, to give you a choice between two dependable pure wools for these instructions. You will need:—5 (2 oz.) skeins of Beehive Caressa. **(***16 and 18—6 skeins***)**. If you are using P & B Speedwell Quick Knit Wool you will need:—6 (2 oz.) skeins. **(***16—6 skeins***) (***18—7 skeins***)**. For the Angora Collar allow 3 (¼ oz.) balls of Beehive Angora or 1 (½ oz.) ball of Fuzzy-Wuzzy. Two No. 7 and two No. 4 Beehive Knitting Needles. One spare needle with points at both ends. 6 Buttons. One Press Fastener.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	33 "	35 "	37 "
Length at centre back	17 "	17¼ "	17½ "
Length of long sleeve underarm seam	16½ "	16½ "	16½ "
Length of ¾ sleeve underarm seam	12½ "	12½ "	12½ "

Tension: 8 sts. and 10 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

*The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—***( ).**

BACK: With No. 7 needles cast on 52 sts. **(***16—56 sts.***) (***18—60 sts.***)**.
Knit 12 rows Garter st. (plain knitting every row).

Change to No. 4 needles and beginning with **purl** row, continue in Stocking st. inc. 1.st. each end of needle every 6th row to 64 sts. on needle. **(***16—68 sts.***) (***18—72 sts.***)**.

Work 7 rows even ending with purl row.
When knitted to correct tension, work should measure approx. 9½ ins. from beginning and should stretch, very easily in width, to one half of the finished bust measurement.

To shape armholes: Cast off 3 sts. beginning next 2 rows.
3rd row: K1. K2tog. Knit to last 3 sts. Sl.1. K1. p.s.s.o. K1.
4th row: Purl. Repeat 3rd and 4th rows to 20 sts. on needle. **(***16—22 sts.***) (***18—24 sts.***)** ending with 4th row. Cast off.

LEFT FRONT: With No. 7 needles cast on 29 sts. **(***16—31 sts.***) (***18—33 sts.***)**.
Knit 12 rows Garter st.
Change to No. 4 needles and proceed:—

For Cable Trim:—1st row: K4. P6. K2. Purl to end of row. (side edge).
2nd row: Knit.
Repeat 1st. and 2nd rows once then 1st. row once.
6th row: Inc. 1.st. in 1st. st. Knit to last 10 sts. Slip next 3 sts. onto spare needle with points at both ends, letting this needle fall to **front** of work. Knit next 3 sts. Take the 3 sts. back and knit them, thus making a "Twist Front". K4. (front edge).

For Plain Front:—1st row: K4. Purl to end of row. (side edge).
2nd row: Knit.
Repeat 1st. and 2nd rows once then 1st. row once.
6th row: Inc. 1.st. in 1st. st. Knit to end of row. (front edge).

Continue for both styles:—
Repeat last 6 rows to 35 sts. on needle. **(***16—37 sts.***) (***18—39 sts.***)**.

Keeping desired front border, work 7 rows even ending at side edge. Work now measures same as Back to armholes.

To shape armhole:—1st row: Cast off 3 sts. Knit to end of row.
2nd row: Work even.
3rd row: K1. K2tog. Knit to end of row.
Keeping desired front border, repeat 2nd and 3rd rows to 19 sts. on needle. **(***16—20 sts.***) (***18—21 sts.***)** ending at front edge.

To shape neck: Cast off 12 sts. **(***16—13 sts.***) (***18—14 sts.***)** beginning next row for neck.
Continue in Stocking st. dec. 1.st. at armhole edge on next and every alternate row as before to 2 sts. on needle. Cast off.

RIGHT FRONT: With No. 7 needles cast on 29 sts. **(***16—31 sts.***) (***18—33 sts.***)**.
Knit 11 rows Garter st.
12th row: (1st. buttonhole). K2. (Wl.fwd. K2tog. for buttonhole). Knit to end of row.
Change to No. 4 needles and proceed:—

For Cable Trim:—1st row: Purl to last 12 sts. K2. P6. K4. (front edge).
2nd row: Knit.
Repeat 1st. and 2nd rows once then 1st. row once.
6th row: K4. Slip next 3 sts. onto spare needle, letting this needle fall to **back** of work. Knit next 3 sts. Bring the 3 sts. forward and knit them, thus making a "Twist Back". Knit to last 2 sts. Inc. 1.st. in next st. K1. (side edge).

For Plain Front:—1st row: Purl to last 4 sts. K4. (front edge).
2nd row: Knit.
Repeat 1st. and 2nd rows once then 1st. row once.
6th row: Knit to last 2 sts. Inc. 1.st. in next st. K1. (side edge).

Continue for both styles:—
Working a buttonhole on following 8th row then every 14th row (13 rows between all buttonholes) repeat last 6 rows to 35 sts. on needle. **(***16—37 sts.***) (***18—39 sts.***)**.

Continue to correspond to Left Front being careful to have all shapings for opposite side and noting when dec. 1.st. at armhole edge, every **knit** row should end with Sl.1. K1. p.s.s.o. K1.

THREE-QUARTER SLEEVES: With No. 7 needles cast on 31 sts. **(***16—33 sts.***) (***18—35 sts.***)**.
Knit 12 rows Garter st.
Change to No. 4 needles and beginning with **purl** row, continue in Stocking st. inc. 1.st. each end of needle every 6th row to 51 sts. on needle. **(***16—53 sts.***) (***18—55 sts.***)**.
Continue even in Stocking st. until sleeve measures 12½ ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. beginning next 2 rows.
3rd row: K1. K2tog. Knit to last 3 sts. Sl.1. K1. p.s.s.o. K1.
4th row: Purl. Repeat 3rd and 4th rows to 9 sts. on needle ending with 4th row.
Next row: K1. (K2tog.)4 times. Purl 1 row. Cast off.

LONG SLEEVES: With No. 7 needles cast on 27 sts. **(***16—29 sts.***) (***18—31 sts.***)** and work as given for Three-Quarter Sleeves, working the length 16½ ins. instead of 12½ ins. before shaping cap.

COLLAR: If using Beehive Angora, wind 2 balls together to make one ball of double yarn.

If using Fuzzy-Wuzzy, wind the ball into 2 balls of equal size. Wind these 2 balls together to make one ball of double yarn.

For the Caressa or Speedwell collar, use wool single as before.

With No. 4 needles cast on 56 sts. **(***16—58 sts.***) (***18—60 sts.***)**.
Knit 3½ ins. Garter st. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side and sleeve seams. Sew in sleeves. Sew cast-off edge of collar around neck, placing ends 2 sts. in from each front edge. Sew buttons to correspond to buttonholes. Sew press fastener at outside neck edge to keep neck closing neat.

P&B WOOLS

Man's Sweater Coat in Chieftain

Shown on Cover and page 18 (left)

MATERIALS:
A handsome sweater for the out-of-doors man. Knitted in an easy but interesting stitch pattern, the Diamond panels are worked in Double Moss stitch and are bordered with Cables. The well-set collar can be buttoned higher for more warmth when needed. Chieftain Speedknit was used to knit the sweater as illustrated and in order to make a garment exactly the same, be sure to use this soft, but very durable, wool. You will need:—22 (2 oz.) skeins. **(***40—23 skeins***) (***42—24 skeins***) (***44—25 skeins***)**. Two No. 5 and two No. 4 Beehive Knitting Needles. One spare needle with points at both ends. One Stitch Holder. 8 Buttons.

MEASUREMENTS:	Size 38	Size 40	Size 42	Size 44
Chest measurement	38 ins.	40 ins.	42 ins.	44 ins.
Chest measurement of finished garment	41 "	43 "	45 "	47 "
Length from top of shoulder	26½ "	26½ "	27 "	27 "
Length of sleeve underarm seam	19 "	19 "	19 "	19 "

Tension: 3½ sts. = 1 inch and 9 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 38. Any changes necessary for sizes 40, 42 and 44 are written in brackets thus:—( ).

BACK: With No. 5 needles cast on 69 sts. **(***40—73 sts.***) (***42—77 sts.***) (***44—81 sts.***)**.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing, working firmly, for 14 rows in all.
Change to No. 4 needles and proceed:—
1st row: K23. **(***40—K25***) (***42—K27***) (***44—K29***)**. Work 1st. row of Cable and Diamond Pattern, see above, on next 23 sts. Knit to end of row.
2nd row: P23. **(***40—P25***) (***42—P27***) (***44—P29***)**. Work 2nd row of Cable and Diamond Pattern on next 23 sts. Purl to end of row.
The Pattern is in the centre of the Back and the sts. at each side are worked in Stocking st. as given on the last 2 rows.
Beginning with 3rd pattern row, continue even until 6th pattern row of 4th pattern has been worked.
When knitted to correct tension, work should measure approx. 17½ ins. from beginning and should stretch, very easily in width, to one half of the finished chest measurement.

To shape armholes: Keeping continuity of pattern, cast off 3 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 57 sts. on needle. **(***40—59 sts.***) (***42—61 sts.***) (***44—63 sts.***)**.
Continue even in pattern until armhole from first shaping measures 9 ins. **(***40—9 ins.***) (***42 and 44—9½ ins.***)**.

To shape shoulders: Keeping continuity of pattern, cast off 7 sts. beginning next 4 rows, then 6 sts. **(***40 and 42—7 sts.***) (***44—8 sts.***)** beginning following 2 rows. Cast off remaining sts.

RIGHT FRONT: **To make pocket piece:** With No. 4 needles cast on 19 sts. Work 20 rows Stocking st. ending with purl row. Proceed:—
1st row: K3. P1. (K5. P1)twice. K3.
2nd row: P3. K1. (P5. K1)twice. P3.
3rd row: K3. P1. K4. P1. K1. P1. K4. P1. K3.
4th row: P3. K1. P4. K1. P1. K1. P4. K1. P3.
5th row: (K3. P1)twice. K1. P1. K1. (P1. K3)twice.
6th row: (P3. K1)twice. P1. K1. P1. (K1. P3)twice.
Break wool. Leave these sts. on spare needle.

With No. 5 needles cast on 40 sts. **(***40—42 sts.***) (***42—44 sts.***) (***44—46 sts.***)**.
1st row: *K1. P1. Repeat from * to last 2 sts. K2.
2nd row: *K1. P1. Repeat from * to end of row.
3rd row: K2. P1. K1. P1. K2. *P1. K1. Repeat from * to last st. K1.

CABLE AND DIAMOND PATTERN (23 sts.):—
1st row: P1. K4. P1. K11. P1. K4. P1.
2nd row: K1. P4. K1. P11. K1. P4. K1.
3rd row: P1. Slip next 2 sts. onto the spare needle, letting this needle fall to **back** of work. Knit next 2 sts. Bring the 2 sts. forward and knit them. The working of these 4 sts. will be termed "Twist Back" throughout. (P1. K5)twice P1. Slip next 2 sts. onto the spare needle, letting this needle fall to **front** of work. Knit next 2 sts. Take the 2 sts. back and knit them. The working of these 4 sts. will be termed "Twist Front" throughout. P1.
4th row: K1. P4. (K1. P5)twice. K1. P4. K1.
5th row: (P1. K4)twice. P1. K1. P1. (K4. P1)twice.
6th row: (K1. P4)twice. K1. P1. K1. (P4. K1)twice.
7th row: P1. Twist Back. P1. K3. (P1. K1)twice. P1. K3. P1. Twist Front. P1.
8th row: K1. P4. K1. P3. (K1. P1)twice. K1. P3. K1. P4. K1.
9th row: P1. K4. P1. K2. (P1. K1)3 times. P1. K2. P1. K4. P1.
10th row: K1. P4. K1. P2. (K1. P1)3 times. K1. P2. K1. P4. K1.
11th row: P1. Twist Back. (P1. K1)6 times. P1. Twist Front. P1.
12th row: K1. P4. (K1. P1)6 times. K1. P4. K1.
13th and 14th rows: As 9th and 10th rows.
15th and 16th rows: As 7th and 8th rows.
17th and 18th rows: As 5th and 6th rows.
19th and 20th rows: As 3rd and 4th rows.
These 20 rows complete one pattern.

4th row: *K1. P1. Repeat from * to last 8 sts. K1. P2. K1. P1. K1. P2.
Repeat these 4 rows for 14 rows in all ending with 2nd row.
Change to No. 4 needles and proceed:—
1st row: K2. P1. K1. P1. K5. **(***40—K5***) (***42 and 44—K7***)**. Work 1st. row of Cable and Diamond Pattern on next 23 sts. K7. **(***40 and 42—K9***) (***44—K11***)**.
2nd row: P7. **(***40 and 42—P9***) (***44—P11***)**. Work 2nd row of Cable and Diamond Pattern on next 23 sts. P5. **(***40—P5***) (***42 and 44—P7***)**. K1. P1. K1. P2. (front edge).
The Pattern is in position, the sts. at each side are worked in Stocking st. as given on the last 2 rows and the border of 6 sts. at front edge is continued in Double Moss st. as already established. Beginning with 3rd pattern row, continue even to end of 20th row of pattern and then work 1st. and 2nd rows of next pattern.

To make pocket edge: (K1. P1)3 times. K4. **(***40—K4***) (***42 and 44—K6***)**. P1. K2. (P1. K1)8 times. P1. K2. P1. Knit to end of row.
Keeping the 17 sts. in centre of pattern in (K1. P1) ribbing, work 4 more rows, ending at side edge.
Next row: P7. **(***40 and 42—P9***) (***44—P11***)**. K1. P1. Cast off next 19 sts. in ribbing. Work to end of row.
Next row: Work to cast-off sts. Working across the 19 sts. of pocket piece, K3. P1. K2. (P1. K1)3 times. P1. K2. P1. K3. Work to end of row.
Beginning with 10th pattern row, continue even until same length as Back to armholes, ending with 6th pattern row. Work 1 more row, thus ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 3 sts. **(***40—3 sts.***) (***42 and 44—4 sts.***)** beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 34 sts. on needle. **(***40—35 sts.***) (***42—36 sts.***) (***44—37 sts.***)**.
Continue even until 12th pattern row of 5th pattern has been worked.

To shape neck: Keeping continuity of pattern, cast off 9 sts beginning next row for neck, then dec. 1.st. at neck edge every row to 21 sts. on needle. **(***40 and 42—22 sts.***) (***44—23 sts.***)**.
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 7 sts. every alternate row twice then 7 sts. **(***40 and 42—8 sts.***) (***44—9 sts.***)** once.

LEFT FRONT: Make pocket piece as given for Right Front. With No. 5 needles cast on 40 sts. **(***40—42 sts.***) (***42—44 sts.***) (***44—46 sts.***)**.

(Continued on page 24)

Lady's Jacket in Chieftain

Shown on page 18 (right)

MATERIALS:
Distinctively feminine, this stylewise double breasted jacket is smartly panelled with the Cable and Diamond pattern as used in the Man's Sweater Coat shown with it. So that you will be able to duplicate this jacket exactly, do be sure to use Chieftain Speedknit, the wool specified for these instructions. You will need:— 20 (2 oz.) skeins. *(16—21 skeins)* *(18—22 skeins)*. Two No. 5 and two No. 4 Beehive Knitting Needles. One spare needle with points at both ends. One Stitch Holder. 8 Buttons.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	35 "	37 "	39 "
Length from top of shoulder	24½ "	24½ "	25 "
Length of sleeve underarm seam	17 "	17 "	17 "

Tension: 3½ sts. = 1 inch and 9 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

BACK: With No. 5 needles cast on 61 sts. *(16—65 sts.)* *(18—69 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: P2. *K1. P1. Repeat from * to last st. P1.
Change to No. 4 needles and proceed:—
1st row: K1. (P1. K1)9 times. *(16—K1. (P1. K1)10 times)* *(18—K1. (P1. K1)11 times)*. Work 1st. row of Cable and Diamond Pattern, see page 16, on next 23 sts. K1. *P1. K1. Repeat from * to end of row.
2nd row: P1. (K1. P1)9 times. *(16—P1. (K1. P1)10 times)* *(18—P1. (K1. P1)11 times)*. Work 2nd row of Cable and Diamond Pattern on next 23 sts. P1. *K1. P1. Repeat from * to end of row.
The Pattern is in the centre of the Back and the sts. at each side are worked in Double Moss st. as given on the last 4 rows.
Beginning with 3rd pattern row, continue even until 12th pattern row of 4th pattern has been worked.
When knitted to correct tension, work should measure approx. 16½ ins. from beginning and should stretch, very easily in width, to one half of the finished bust measurement.

To shape armholes: Keeping continuity of pattern, cast off 4 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 47 sts. on needle. *(16—49 sts.)* *(18—51 sts.)*.
Continue even in pattern until armhole from first shaping measures 8 ins. *(16—8 ins.)* *(18—8½ ins.)*.

To shape shoulders: Keeping continuity of pattern, cast off 8 sts. beginning next 2 rows, then 8 sts. *(16 and 18—9 sts.)* beginning following 2 rows. Cast off remaining sts.

LEFT FRONT: **To make pocket piece:** With No. 4 needles cast on 17 sts. Work 16 rows Stocking st. ending with purl row. Proceed:—

1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: P2. *K1. P1. Repeat from * to last st. P1.
3rd row: K1. *P1. K1. Repeat from * to end of row.
4th row: P1. *K1. P1. Repeat from * to end of row.**

5th and 6th rows: As 1st. and 2nd rows. Break wool. Leave these sts. on spare needle.

With No. 5 needles cast on 44 sts. *(16—46 sts.)* *(18—48 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last 2 sts. K2.
2nd row: K2. P1. *K1. P1. Repeat from * to last st. P1.
Change to No. 4 needles and proceed:—
1st row: K1. (P1. K1)9 times. *(16—K1. (P1. K1)10 times)* *(18—K1. (P1. K1)11 times)*. Work 1st. row of Cable and Diamond Pattern on next 23 sts. K2. (front edge).
2nd row: K2. Work 2nd row of Cable and Diamond Pattern on next 23 sts. P1. *K1. P1. Repeat from * to end of row. (side edge).
The Pattern is in position, the sts. at side edge are worked in Double Moss st. as given on the last 4 rows and the 2 sts. at front edge are always knitted.
Beginning with 3rd pattern row, continue even to end of 20th row of pattern and then work 1st. 2nd and 3rd rows of next pattern, ending at front edge.
Next row: K2. Work next 23 sts. in pattern. Cast off next 17 sts. in pattern. Work to end of row.
Next row: Work to cast-off sts. Working across the 17 sts. of pocket piece, K1. (P1. K1)8 times. Work to end of row.
Beginning with 6th pattern row, continue even until same length as Back to armholes, ending with 12th pattern row.

To shape armhole: Keeping continuity of pattern, cast off 4 sts. beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 37 sts. on needle. *(16—38 sts.)* *(18—39 sts.)*. Continue even until 19th pattern row of 5th pattern has been worked, thus ending at front edge.

To shape neck: Cast off 18 sts. purlways beginning next row for neck.
Working all sts. in Double Moss st. dec. 1.st. at neck edge every row to 16 sts. on needle. *(16 and 18—17 sts.)*.
Continue even until armhole measures same as Back to shoulders.

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 8 sts. once. Work 1 row even. Cast off remaining sts.

RIGHT FRONT: Make pocket piece as given for Left Front.
With No. 5 needles cast on 44 sts. *(16—46 sts.)* *(18—48 sts.)*.
1st row: K3. *P1. K1. Repeat from * to last st. K1.
2nd row: P2. *K1. P1. Repeat from * to last 2 sts. K2.
Change to No. 4 needles and proceed:—

1st row: K2. Work 1st. row of Cable and Diamond Pattern on next 23 sts. K1. *P1. K1. Repeat from * to end of row. (side edge).
2nd row: P1. (K1. P1)9 times. *(16—P1. (K1. P1)10 times)* *(18—P1. (K1. P1)11 times)*. Work 2nd row of Cable and Diamond Pattern on next 23 sts. K2. (front edge).
The Pattern is now in position to correspond to Left Front.
Beginning with 3rd pattern row, continue even to end of 20th row of pattern and then work 1st. 2nd and 3rd rows of next pattern, ending at side edge.
Next row: P2. *(16—P2. K1. P1.)* *(18—P2. (K1. P1) twice)*. Cast off next 17 sts. in pattern. Work to end of row.
Next row: (1st. pair of buttonholes). K2. P1. K1. Cast off 2 sts. (the sts. in centre of cable). Work 15 sts. in pattern. Cast off 2 sts. (the sts. in centre of cable). K1. P1. Working across the 17 sts. of pocket piece, K1. (P1. K1)8 times. Work to end of row.
Next row: Working in pattern, cast on 2 sts. over each of the cast-off sts. of previous row.
Beginning with 7th pattern row, continue even to end of 8th pattern row of 3rd pattern, thus having worked 22 rows above 1st. pair of buttonholes.
Work 2nd pair of buttonholes on next 2 rows.
Working buttonholes 22 rows apart, continue to correspond to Left Front, being careful to have armhole shaping for opposite side, until 2 rows have been worked above the 4th pair of buttonholes, thus ending with 20th pattern row of 5th pattern at front edge. Cast off 18 sts. knitways, beginning next row for neck and continue to correspond to Left Front.

SLEEVES: With No. 5 needles cast on 29 sts.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: P2. *K1. P1. Repeat from * to last st. P1.
Change to No. 4 needles and proceed:—
1st row: K1. P1. K1. Work 1st. row of Cable and Diamond Pattern on next 23 sts. K1. P1. K1.
2nd row: P1. K1. P1. Work 2nd row of Cable and Diamond Pattern on next 23 sts. P1. K1. P1.
The Pattern is in the centre of the Sleeve and the sts. at each side are worked in Double Moss st. as given on the last 4 rows.
Beginning with 3rd pattern row, continue even until 4th pattern row has been worked.
Working increased sts. in Double Moss st. inc. 1.st. each end of needle on next and every following 6th row to 49 sts. on needle. *(16—51 sts.)* *(18—53 sts.)*.

(Continued on page 24)

Handknits in

Man's Sweater Coat, also shown on Cover, see page 16

Lady's Double Breasted Jacket, see page 17



Chieftain

Teen-Ager's Pullover,
both styles, see page 21

Teen-Ager's "Zippered"
Sweater Coat, see page 20

P&B WOOLS

Teen-Ager's Sweater Coat in Chieftain

For Boys and Girls—shown on page 19 (right)

MATERIALS:
In line with the new trend in knitting, this sweater, designed especially for the teen-age crowd, features a bulky stitch of chain-like cables. Quite easy to knit and very quick too, when you are sure to use Chieftain Speedknit, the wool for which these instructions are written. To be satisfied with your finished garment, do be sure to knit it with Chieftain Speedknit. You will require:—17 (2 oz.) skeins. *(16—18 skeins)* *(18—20 skeins)*. Two No. 5 and two No. 4 Beehive Knitting Needles. One spare needle with points at both ends. One 20-inch separating "Zipper" Fastener.

MEASUREMENTS:	Size 14	Size 16	Size 18
Chest or bust measurement	32 ins.	34 ins.	36 ins.
Chest or bust measurement of finished garment	35 "	37 "	39 "
Length from top of shoulder	22½ "	23½ "	24½ "
Length of sleeve underarm seam	16 "	16½ "	17 "

Tension: 3½ sts. = 1 inch and 9 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

BACK: With No. 5 needles cast on 57 sts. *(16—61 sts.)* *(18—65 sts.)*.
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing, working firmly, for 13 rows in all, ending with 1st. row.
Next row: P13. *(16—P15)* *(18—P17)*. *K2. P1. Inc. 1.st. in next st. P1. K2. P2. Inc. 1.st. in next st. P2.* Repeat from * to * once. K2. P1. Inc. 1.st. in next st. P1. K2. Purl to end of row. 62 sts. on needle. *(16—66 sts.)* *(18—70 sts.)*.
Change to No. 4 needles and proceed:—

1st row: K13. *(16—K15)* *(18—K17)*. P2. K4. (P2. K2)twice. P2. K4. (P2. K2)twice. P2. K4. P2. Knit to end of row.
2nd row: P13. *(16—P15)* *(18—P17)*. K2. (P1. K2)twice. (P2. K2)twice. (P1. K2)twice. (P2. K2)twice. (P1. K2)twice. Purl to end of row.

3rd row: K13. *(16—K15)* *(18—K17)*. P2. K4. P2. Slip next 2 sts. onto the spare needle letting this needle fall to front of work. **Knit** next 2 sts. and **purl** the following 2 sts. from left hand needle (to preserve the rib). Take the 2 sts. back and knit them. (The working of these 6 sts. will be termed "Twist" throughout). P2. K4. P2. Twist. P2. K4. P2. Knit to end of row.
4th row: As 2nd row.
Repeat 1st. and 2nd rows 3 times. These last 8 rows complete one pattern for Back.**
Work from ** to ** until work from cast-on edge measures 15 ins. *(16—15½ ins.)* *(18—16 ins.)*, or desired length.
When knitted to correct tension, work should stretch, very easily in width, to one half of the finished chest or bust measurement. If you are knitting this sweater for a girl, you may like it a little shorter. Check "Measurements" at beginning of these instructions.

To shape armholes: Keeping continuity of pattern, cast off 4 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 48 sts. on needle. *(16—50 sts.)* *(18—52 sts.)*.
Continue even in pattern until armhole from first shaping measures 7½ ins. *(16—8 ins.)* *(18—8½ ins.)*.

To shape shoulders: Keeping continuity of pattern, cast off 8 sts. beginning next 2 rows, then 8 sts. *(16—8 sts.)* *(18—9 sts.)* beginning following 2 rows. Cast off remaining sts.

LEFT FRONT: **To make pocket piece:** With No. 4 needles cast on 16 sts.
Work 13 rows Stocking st. ending with **knit** row.
Next row: (P1. K2)twice. P10.
Next row: K10. P2. K4.
Repeat last 2 rows twice more. Break wool. Leave these sts. on spare needle.

With No. 5 needles cast on 31 sts. *(16—33 sts.)* *(18—35 sts.)*.
Work 13 rows (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: K1. P1. Inc. 1.st. in next st. P1. K2. P2. Inc. 1.st. in next st. P2. K2. P1. Inc. 1.st. in next st. P1. K2. Purl to end of row. 34 sts. on needle. *(16—36 sts.)* *(18—38 sts.)*.
Change to No. 4 needles and proceed:—

1st row: K13. *(16—K15)* *(18—K17)*. P2. K4. (P2. K2)twice. P2. K5. (front edge).
2nd row: K1. (P1. K2)twice. (P2. K2)twice. (P1. K2)twice. Purl to end of row. (side edge).

3rd row: K13. *(16—K15)* *(18—K17)*. P2. K4. P2. Twist. P2. K5.
4th row: As 2nd row.
Repeat 1st. and 2nd rows 3 times.** These last 8 rows as given from ** to ** complete one pattern for Left Front.
Work first 3 rows of next pattern (14 rows from top of ribbing), ending at front edge.

To make pocket edge: 1st row: K1. (P1. K2)twice. (P2. K2) twice. P1. K2. P1. K12. Purl to end of row.
2nd row: K19. *(16—K21)* *(18—K23)*. (P2. K2)twice. P2. K5. Repeat these 2 rows once, then 1st. row once, ending at side edge. (3 ridges in pocket edge).
Next row: K3. *(16—K5)* *(18—K7)*. Cast off 16 sts. P2. Twist. P2. K5.
Next row: K1. (P1. K2)twice. (P2. K2)twice. Working across the 16 sts. of pocket piece, with wrong side of work facing, (P1. K2)twice. P10. Purl to end of row.
Continue even in pattern until same length as Back to armholes, ending at side edge.

To shape armhole: Keeping continuity of pattern, cast off 4 sts. beginning next row for armhole, then dec. 1.st. at armhole edge every alternate row to 27 sts. on needle. *(16—28 sts.)* *(18—29 sts.)*.
Continue even in pattern until armhole measures 5 ins. from first shaping, ending at front edge.

To shape neck: Keeping continuity of pattern, cast off 5 sts. beginning next row for neck, then dec. 1.st. at neck edge every row to 16 sts. on needle. *(16—16 sts.)* *(18—17 sts.)*.
Continue even in pattern until armhole measures same as Back to shoulders.

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 8 sts. Work 1 row even. Cast off remaining sts.

RIGHT FRONT: **To make pocket piece:** With No. 4 needles cast on 16 sts.
Work 13 rows Stocking st. ending with **knit** row.
Next row: P10. (K2. P1)twice.
Next row: K4. P2. K10.
Repeat last 2 rows twice more. Break wool. Leave these sts. on spare needle.

With No. 5 needles cast on 31 sts. *(16—33 sts.)* *(18—35 sts.)*.
Work 13 rows (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: P13. *(16—P15)* *(18—P17)*. K2. P1. Inc. 1.st. in next st. P1. K2. P2. Inc. 1.st. in next st. P2. K2. P1. Inc. 1.st. in next st. P1. K1. 34 sts. on needle. *(16—36 sts.)* *(18—38 sts.)*.
Change to No. 4 needles and proceed:—

1st row: K5. (P2. K2)twice. P2. K4. P2. Knit to end of row. (side edge).
2nd row: P13. *(16—P15)* *(18—P17)*. (K2. P1)twice. (K2. P2) twice. (K2. P1)twice. K1. (front edge).

3rd row: K5. P2. Twist. P2. K4. P2. Knit to end of row.
4th row: As 2nd row.
Repeat 1st. and 2nd rows 3 times.** These last 8 rows as given from ** to ** complete one pattern for Right Front.
Work first 3 rows of next pattern, ending at side edge.

(Continued on page 21)

Teen-Ager's Pullover in Chieftain

For Boys and Girls—both styles—shown on page 19 (left and centre)

MATERIALS:
In response to many requests, this plain turtle neck pullover as shown on the boy, has been designed especially for knitting with Chieftain Speedknit—and for variety, you can knit in the very easy patterned "braces" as shown on the girl. In order to be completely satisfied with your knitting do be sure to use Chieftain Speedknit for these instructions. You will require:—14 (2 oz.) skeins. *(16—15 skeins)* *(18—16 skeins)*. Allow 1 skein less for a half turtle collar. Two No. 5 and two No. 4 Beehive Knitting Needles. Two Stitch Holders.

MEASUREMENTS:	Size 14	Size 16	Size 18
Chest or bust measurement	32 ins.	34 ins.	36 ins.
Chest or bust measurement of finished garment	34 "	36 "	38 "
Length from top of shoulder	20½ "	21 "	22 "
Length of sleeve underarm seam	16 "	16½ "	17 "

Tension: 3½ sts. = 1 inch and 9 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.

For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

FRONT: With No. 5 needles cast on 58 sts. *(16—62 sts.)* *(18—66 sts.)*.
Work 16 rows (K1. P1) ribbing. Change to No. 4 needles and proceed:—

For Patterned Front:—1st row: K9. *(16—K11)* *(18—K13)*. P2. (K1. P1)3 times. K1. P2. K18. P2. (K1. P1)3 times. K1. P2. K9. *(16—K11)* *(18—K13)*.
2nd row: P9. *(16—P11)* *(18—P13)*. K2. (P1. K1)3 times. P1. K2. P18. K2. (P1. K1)3 times. P1. K2. Purl to end of row.
3rd row: K9. *(16—K11)* *(18—K13)*. P3. (K1. P1)twice. K1 P3. K18. P3. (K1. P1)twice. K1. P3. Knit to end of row.
4th row: P9. *(16—P11)* *(18—P13)*. K3. (P1. K1)twice. P1. K3. P18. K3. (P1. K1)twice. P1. K3. Purl to end of row.
These 4 rows complete one pattern.

For Plain Front:—1st row: Knit.
2nd row: Purl each st. in row. These 2 rows make Stocking st.

Continue even in desired stitch until work from beginning measures 13 ins. *(16—13½ ins.)* *(18—14 ins.)* or desired length, ending with purl row.
When knitted to correct tension, work should stretch, very easily in width, to one half of the finished chest or bust measurement. If you are knitting this sweater for a girl, you may like it a little shorter. Check "Measurements" at beginning of these instructions.

To shape armholes: Cast off 4 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 42 sts. on needle. *(16—44 sts.)* *(18—46 sts.)*.
Continue even until armhole from first shaping measures 6 ins. *(16—6 ins.)* *(18—6½ ins.)*, ending with purl row.

To shape neck: Work 17 sts. *(16—18 sts.)* *(18—19 sts.)*. Turn. Leave remaining sts. on spare needle.
Dec. 1.st. at neck edge **every** row to 14 sts. on needle. *(16 and 18—15 sts.)*.
Continue even until armhole from first shaping measures 7½ ins. *(16—7½ ins.)* *(18—8 ins.)*.

To shape shoulder: At armhole edge cast off 7 sts. Work 1 row even. Cast off remaining sts.

Leaving next 8 sts. on st. holder, with right side of work facing, join wool to remaining sts. and work other side to correspond.

Make Back exactly as given for Front.

COLLAR: Sew left shoulder seam. With right side of work facing and No. 5 needles, pick up and knit 10 sts. along right side of back of neck. Knit the 8 sts. from st. holder. Pick up and knit 20 sts. along left side of neck. Knit the 8 sts. from st. holder. Pick up and knit 10 sts. along other side of neck. (56 sts. on needle).
Work 2½ ins. (K1. P1) ribbing for half turtle collar as shown in the Girl's Pullover on page 19 **or** for 6 ins. for a full rolled turtle collar as shown in the Boy's Pullover on page 19. When desired amount has been ribbed, cast off **loosely** in ribbing.

SLEEVES: With No. 5 needles cast on 26 sts. *(16—28 sts.)* *(18—30 sts.)*.
Work 16 rows (K1. P1) ribbing.
Change to No. 4 needles and proceed:—

Next row: K6. *(16—K7)* *(18—K8)*. *Inc. 1.st. in next st. K6. Repeat from * to last 6 sts. *(16—7 sts.)* *(18—8 sts.)*. Inc. 1.st. in next st. Knit to end of row. 29 sts. on needle. *(16—31 sts.)* *(18—33 sts.)*.
Continue in Stocking st. inc. 1.st. each end of needle every 6th row to 45 sts. on needle. *(16—47 sts.)* *(18—49 sts.)*.
Continue even in Stocking st. until sleeve from beginning measures 16 ins. *(16—16½ ins.)* *(18—17 ins.)* or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
3rd row: K2tog. Knit to last 2 sts. Sl.1. K1. p.s.s.o.
4th row: Purl. Repeat 3rd and 4th rows to 19 sts. on needle. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew right shoulder and collar seam then side and sleeve seams. Sew in sleeves.

TEEN-AGER'S SWEATER COAT *(Continued from page 20)*

To make pocket edge: 1st row: P3. *(16—P5)* *(18—P7)*. K12. P1. K2. P1. (K2. P2)twice. (K2. P1)twice. K1.
2nd row: K5. (P2. K2)twice. P2. Knit to end of row.
Repeat these 2 rows once, then 1st. row once, ending at front edge.
Next row: K5. P2. Twist. P2. Cast off 16 sts. Knit to end of row.
Next row: P3. *(16—P5)* *(18—P7)*. Working across the 16 sts. of pocket piece, with wrong side of work facing, P10. (K2. P1) twice. Work in pattern to end of row.
Continue to correspond to Left Front being careful to have all shapings for opposite side.

SLEEVES: With No. 5 needles cast on 29 sts. *(16—31 sts.)* *(18—33 sts.)*.
Work 13 rows (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: P5. *(16—P6)* *(18—P7)*. K2. P1. Inc. 1.st. in next st. P1. K2. P2. Inc. 1.st. in next st. P2. K2. P1. Inc. 1.st. in next st. P1. K2. Purl to end of row. 32 sts. on needle. *(16—34 sts.)* *(18—36 sts.)*. Change to No. 4 needles and proceed:—

1st row: K5. *(16—K6)* *(18—K7)*. P2. K4. (P2. K2)twice. P2. K4. P2. Knit to end of row.
2nd row: P5. *(16—P6)* *(18—P7)*. K2. (P1. K2)twice. (P2. K2) twice. (P1. K2)twice. Purl to end of row.

3rd row: K5. *(16—K6)* *(18—K7)*. P2. K4. P2. Twist. P2. K4. P2. Knit to end of row.
4th row: As 2nd row.
Repeat 1st. and 2nd rows 3 times.** These last 8 rows as given from ** to ** complete one pattern for Sleeves.

Working increased sts. in Stocking st. continue in pattern inc. 1.st. each end of needle on next then every following 4th and 6th rows alternately to 50 sts. on needle. *(16—52 sts.)* *(18—54 sts.)*.
Continue even until sleeve from beginning measures 16 ins. *(16—16½ ins.)* *(18—17 ins.)*, or desired length, ending with purl row.
(Continued on page 25)

Handknits for Teen-Agers

Boy's and Girl's Raglan
Pullover, see page 23

Girl's Bulky Knit
Pullover, see page 23

Handknits for Teen-Agers

Shown on page 22

THE RAGLAN PULLOVER

MATERIALS:
The interesting feature of this classic style pullover is that there is not a seam to sew when the garment is finished. It is completely circular in the knitting and has the raglan sleeves which are so much in demand. Test models to check these instructions during preparation, were knitted accurately with Beehive Fingering 4 ply Patonised, Patwin 4 ply Patonised and P & B Heather Fingering Patonised. In this way, you have the assurance of good knitting when you are careful to choose one of these specified yarns. You will need:—10 ozs. ***(16 and 18—11 ozs.)***. Set of 4 No. 12 and set of 4 No. 10 Queen Bee Knitting Needles with points at both ends. One No. 12 and one No. 10 Circular Knitting Needle, each 24 ins. long.

MEASUREMENTS:	Size 14	Size 16	Size 18
Chest or bust measurement	32 ins.	34 ins.	36 ins.
Chest or bust measurement of finished garment	33 "	35 "	37 "
Length at centre back including neckband	21 "	22 "	23 "
Length of sleeve underarm seam	16 "	16½ "	17 "

Tension: 7½ sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

Beginning with neckband, with set of 4 No. 12 needles cast on 100 sts. (34. 34. 32). Join in round.
Work 11 rounds (K1. P1) ribbing.

12th round: Rib 8. Inc. 1.st. in next st. Rib 12. (Inc. 1.st. in next st. Rib 6)4 times. Inc. 1.st. in next st. Rib 12. Inc. 1.st. in next st. Rib 22. Inc. 1.st. in next st. Rib 14. (108 sts. in round).
13th round: Knit.
Change to set of 4 No. 10 needles and working backwards and forwards proceed:—

1st row: K1. *Inc. 1.st. in each of next 2 sts. K11. Inc. 1.st. in each of next 2 sts.* K39. Repeat from * to * once. K2. **Turn.**
2nd row: Slip 1st. st. purlways. P81. Turn.

3rd row: Slip 1st. st. purlways. K3. *Inc. 1.st. in each of next 2 sts. K13. Inc. 1.st. in each of next 2 sts.* K41. Repeat from * to * once. K5. Turn.
4th row: Slip 1st. st. purlways. P93. Turn.

5th row: Slip 1st. st. purlways. K6. *Inc. 1.st. in each of next 2 sts. K15. Inc. 1.st. in each of next 2 sts.* K43. Repeat from * to * once. K8. Turn.
6th row: Slip 1st. st. purlways. P105. Turn.

7th row: Slip 1st. st. purlways. K9. *Inc. 1.st. in each of next 2 sts. K17. Inc. 1.st. in each of next 2 sts.* K45. Repeat from * to * once. K11. Turn.
8th row: Slip 1st. st. purlways. P117. Turn.

9th row: Slip 1st. st. purlways. K12. *Inc. 1.st. in each of next 2 sts. K19. Inc. 1.st. in each of next 2 sts.* K47. Repeat from * to * once. K14. Turn.
10th row: Slip 1st. st. purlways. P129. Turn.

11th row: Slip 1st. st. purlways. K15. *Inc. 1.st. in each of next 2 sts. K21. Inc. 1.st. in each of next 2 sts.* K49. Repeat from * to * once. K17, then knit across next 16 sts. at centre front of neck. (156 sts. in round).
Knit 1st. 17 sts. from beginning of round. The next st. is the 1st. increased st. of previous row and the following st. has made a straight line from the ribbed neckband. This is the first "Seam st." in round and outlines the raglan shaping. Mark this seam st. with a safety pin to show the new beginning of round. Proceed:—

(Continued on page 25)

THE BULKY KNIT PULLOVER

MATERIALS:
Fashion-wise in a casual manner, there are just two simple pieces to knit on large needles. This pullover is so quick and easy to knit with your choice of luxuriously soft Beehive Caressa or sturdy and hard wearing P & B Speedwell Quick Knit Wool, the wools for which these instructions are written. In order to be sure of satisfactory results, buy 5 (2 oz.) skeins. ***(16 and 18—6 skeins)*** Main Colour (B) of Beehive Caressa or 6 (2 oz.) skeins. ***(16—6 skeins)*** ***(18—7 skeins)*** Main Colour (B) of P & B Speedwell Quick Knit Wool. 3 skeins of Contrasting Colour (A) are required in either wool. You will also need:—Two No. 6 and two No. 4 Beehive Knitting Needles.

MEASUREMENTS:	Size 14	Size 16	Size 18
Bust measurement	32 ins.	34 ins.	36 ins.
Bust measurement of finished garment	35 "	37 "	39 "
Length from top of shoulder	23 "	23 "	23½ "

Tension: 8 sts. and 10 rows = 2 ins. with No. 4 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 14. Any changes necessary for sizes 16 and 18 are written in brackets thus:—( ).

FRONT: With (A) wool and No. 6 needles cast on 68 sts. ***(16—72 sts.)*** ***(18—76 sts.)***.
Work 4 ins. (K2. P2) ribbing. Break (A). Join (B). Change to No. 4 needles and proceed:—

Continue even in Stocking st. until work measures 13 ins. from beginning, or desired length, ending with purl row.

When knitted to correct tension, work should stretch, very easily in width, to one half of the finished bust measurement.

Inc. 1.st. each end of needle every row to 80 sts. on needle. ***(16—84 sts.)*** ***(18—88 sts.)***.
Cast on 8 sts. beginning next 4 rows for sleeves. 112 sts. on needle. ***(16—116 sts.)*** ***(18—120 sts.)***.

Continue even in Stocking st. until work from beginning measures 21 ins. ***(16—21 ins.)*** ***(18—21½ ins.)*** ending with **knit** row.

To shape neck and shoulders: P48. Cast off 16 sts. ***(16—20 sts.)*** ***(18—24 sts.)*** for neck. P48.
Working on last 48 sts. cast off 5 sts. at sleeve edge, at same time dec. 1.st. at neck edge every alternate row until all sts. are worked off.

With right side of work facing join (B) wool at neck edge. Knit to end of row and continue to correspond to other side being careful to have all shapings for opposite side.

To make collar: With right side of work facing, (A) wool and No. 6 needles, pick up and knit 48 sts. ***(16—48 sts.)*** ***(18—52 sts.)*** around neck.
Work 1 inch (K2. P2) ribbing. Change to No. 4 needles and continue even in ribbing until work measures 6 ins. from where the sts. were picked up. Cast off **loosely** in ribbing.
Make Back exactly as given for Front. Sew shoulder and collar seams.

To make cuffs: With right side of work facing, (A) wool and No. 6 needles, pick up and knit 48 sts. ***(16—48 sts.)*** ***(18—52 sts.)*** along one cuff edge. Work 1 inch (K2. P2) ribbing. Change to No. 4 needles and continue even in ribbing until cuff measures 4 ins. Cast off **loosely** in ribbing.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side seams.

MAN'S SWEATER COAT (Continued from page 16)

1st row: K2. *P1. K1. Repeat from * to end of row.
2nd row: *P1. K1. Repeat from * to end of row.
3rd row: K2. *P1. K1. Repeat from * to last 8 sts. P1. K2. P1. K1. P1. K2.
4th row: P2. K1. P1. K1. P2. K1. *P1. K1. Repeat from * to end of row.
5th and 6th rows: As 1st. and 2nd rows.
7th row: (1st. buttonhole). K2. *P1. K1. Repeat from * to last 8 sts. P1. K2. Cast off 2 sts. P1. K2.
8th row: P2. K1. Cast on 2 sts. P2. K1. *P1. K1. Repeat from * to end of row.

Repeat 1st. to 4th rows for 14 rows in all ending with 2nd row.
Change to No. 4 needles and proceed:—

1st row: K7. *(40 and 42—K9) (44—K11)*. Work 1st. row of Cable and Diamond Pattern on next 23 sts. K5. *(40—K5) (42 and 44—K7)*. P1. K1. P1. K2.

2nd row: P2. K1. P1. K1. P5. *(40—P5) (42 and 44—P7)*. Work 2nd row of Cable and Diamond Pattern on next 23 sts. P7. *(40 and 42—P9) (44—P11)*.
The Pattern and front border are now in position to correspond to Right Front.
Beginning with 3rd pattern row, continue even to end of 8th pattern row, thus having worked 14 rows above 1st. buttonhole.
Work 2nd buttonhole on next 2 rows.
Working buttonholes 14 rows apart, continue to correspond to Right Front, making pocket edge in centre of pattern as before and being careful to have armhole shaping for opposite side, until 3 rows have been worked above 7th buttonhole, thus ending with 13th pattern row of 5th pattern at front edge.

Next row: P2. (K1. P1.)twice. Leave these 6 sts. on st. holder to be worked later for collar. Cast off next 3 sts. purlways for neck. Work to end of row.
Continue to correspond to Right Front being careful to have shoulder shaping for opposite side.

COLLAR: With right side of work facing, join wool at inside neck edge to the 6 sts. on st. holder and with No. 4 needles proceed:—
1st row: Inc. 1.st. in 1st. st. K1. (P1. K1)twice.
2nd row: (P1. K1)3 times. Inc. 1.st. in last st.
3rd row: Inc. 1.st. in 1st. st. (P1. K1)twice. P1. Inc. 1.st. in next st. K1. (outside edge).
4th row: (P1. K1)4 times. P1. Inc. 1.st. in last st. (11 sts. on needle, neck edge).
Keeping continuity of the Double Moss st. pattern, inc. 1.st. at neck edge **every** row, at same time, inc. 1.st. at outside edge as before, on next and every alternate row to 25 sts. on needle ending at outside edge.
Proceed:—
1st row: (P1. K1)8 times. K9. (neck edge).
2nd row: K10. (P1. K1)7 times. K1. (outside edge).
3rd row: P2. (K1. P1)7 times. K9.
4th row: K9. (P1. K1)8 times.
5th and 6th rows: As 1st. and 2nd rows.
7th row: P2. (K1. P1)7 times. Turn.
8th row: Having wool at back of work, slip 1st. st. off right hand needle onto left hand needle. Bring wool to front of work and slip the slipped st. back onto right hand needle. **When turning always slip the 1st. st. from right hand needle in this manner to prevent a hole.** (P1. K1)8 times. The last 2 rows make the outside edge longer than the neck edge.
Repeat these 8 rows 9 times more. *(40—9 times more) (42 and 44—10 times more)*, then work the 1st. to 6th rows once, ending at outside edge.

Next row: P1. K2tog. *P1. K1. Repeat from * to last 2 sts. K2tog. (neck edge).
Keeping all sts. in Double Moss st. dec. 1.st. at neck edge **every** row, at same time dec. 1.st. at outside edge every alternate row as before, to 7 sts. on needle.

Next row: P1. K2tog. Pass 1st. st. over 2nd st. and cast off remaining sts. in pattern.

SLEEVES: With No. 5 needles cast on 33 sts. *(40—33 sts.) (42 and 44—37 sts.)*.
Work 14 rows (K1. P1) ribbing as given for Back.
Change to No. 4 needles and proceed:—

1st row: K5. *(40—K5) (42 and 44—K7)*. Work 1st. row of Cable and Diamond Pattern on next 23 sts. Knit to end of row.

2nd row: P5. *(40—P5) (42 and 44—P7)*. Work 2nd row of Cable and Diamond Pattern on next 23 sts. Purl to end of row.
The Pattern is in the centre of the Sleeve and the sts. at each side are worked in Stocking st. as given on the last 2 rows.
Beginning with 3rd pattern row, continue even until 6th pattern row has been worked.
Working increased sts. in Stocking st. inc. 1.st. each end of needle on next and every following 6th row to 49 sts. on needle. *(40—49 sts.) (42 and 44—53 sts.)* then every 4th row to 59 sts. on needle. *(40—59 sts.) (42 and 44—63 sts.)*.
Work 3 rows even, thus ending with 12th pattern row of 4th pattern. Sleeve now measures approx. 19 ins. from cast-on edge.

To shape cap: Keeping continuity of pattern, cast off 3 sts. beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 29 sts. on needle. *(40—29 sts.) (42 and 44—33 sts.)* then **every** row to 23 sts. on needle. Cast off in pattern.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew collar evenly around neck, matching the 6 cast-off sts. at front of neck on right front. Sew pocket pieces in position on wrong side. Sew in sleeves. Sew buttons to correspond to buttonholes. For a high neck closing, sew another button on neck seam in desired position and sew a loop in buttonhole stitch, just inside the edge of the other side of collar. As this is a heavy sweater, it is advisable to sew a length of grosgrain ribbon, cut to desired size, across each shoulder and back of neck. This is a great aid in helping the sweater keep its shape and prevent the back of the neck and shoulders from stretching.

LADY'S JACKET (Continued from page 17)

Continue even until 16th pattern row of 4th pattern has been worked. Sleeve now measures approx. 17 ins. from cast-on edge.

To shape cap: Keeping continuity of pattern, cast off 2 sts. *(16—3 sts.) (18—4 sts.)* beginning next 2 rows, then dec. 1.st. each end of needle on next and every alternate row to 31 sts. on needle, then **every** row to 13 sts. on needle. Cast off in pattern.

COLLAR: With No. 4 needles cast on 53 sts. *(16—55 sts.) (18—57 sts.)*.
Work from ** to ** as given for pocket piece of Left Front.
Continue in this pattern until work measures 3 ins. from beginning. Keeping continuity of pattern, cast off 4 sts. beginning next 6 rows. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew pocket pieces in position on wrong side. Sew in sleeves. Sew buttons to correspond to buttonholes. Sew cast-off edge of collar around neck, placing ends, 11 sts. in from each front edge. As this is a heavy garment, it is advisable to sew a length of grosgrain ribbon, cut to desired size, across each shoulder and back of neck. This is a great aid in helping the garment to keep its shape and prevent the back of the neck and shoulders from stretching.

STITCHCRAFT

A Monthly Magazine for Knitters

Published in England. Every issue packed with illustrations and complete instructions for knitting, embroidery, needlework and all kinds of handwork. To avoid disappointment, place a definite order with your newsstand or supplier. If you prefer to have your copies sent by mail, send $3.50 to Gordon & Gotch Ltd., 43 Victoria St., Toronto 1, Ontario, to cover a full year's subscription—a new magazine every month.

TEEN-AGER'S RAGLAN PULLOVER *(Continued from page 23)*

1st round: Knit even, ending with the 2nd st. before the seam st. **2nd round:** *Inc. 1.st. in next st. which is the st. before the marked seam st. Inc. 1.st. in the seam st. K23 for one sleeve. Inc. 1.st. in next st. which is the st. before the next seam st. Inc. 1.st. in the seam st.* K51 for Back. Repeat from * to * once. K51 for Front. (164 sts. in round).
3rd round: As 1st. round.
4th round: *Inc. 1.st. in next st. Inc. 1.st. in the seam st. K25 for one sleeve. Inc. 1.st. in next st. Inc. 1.st. in the seam st.* K53 for Back. Repeat from * to * once. K53 for Front. (172 sts. in round).

Continue inc. 1.st. in the st. before each seam st. and inc. 1.st. in each seam st. **every alternate round** in this manner, noting that, as before, there are 2 sts. more to count for each sleeve, the back and the front before the next increases are worked, and changing to No. 10 circular needle as sts. are increased, until 35 increase rows *(16—37 increase rows)* *(18—39 increase rows)* have been worked from the neckband, then knit the following round even ending with the 1st. seam st. 388 sts. in round. *(16—404 sts.)* *(18—420 sts.)*.

To make body: Slip next 82 sts. onto a thread and leave for one sleeve. Cast on 8 sts. for underarm. Knit next 112 sts. Slip next 82 sts. onto a thread and leave for other sleeve. Cast on 8 sts. for underarm. Knit next 112 sts. (240 sts. in round).

(16—Knit 1 more st. Slip next 84 sts. onto a thread and leave for one sleeve. Cast on 10 sts. for underarm. Knit next 118 sts. Slip next 84 sts. onto a thread and leave for other sleeve. Cast on 10 sts. for underarm. Knit next 118 sts. 256 sts. in round).

(18—Knit 2 more sts. Slip next 86 sts. onto a thread and leave for one sleeve. Cast on 12 sts. for underarm. Knit next 124 sts. Slip next 86 sts. onto a thread and leave for other sleeve. Cast on 12 sts. for underarm. Knit next 124 sts. 272 sts. in round).

Continue even in rounds for 10 ins. *(16—10½ ins.)* *(18—11 ins.)*, or desired length.
If you are knitting this sweater for a girl, you may like it a little shorter. Check "Measurements" at beginning of these instructions.
Next round: *K6. K2tog. Repeat from * to end of round. 210 sts. in round. *(16—224 sts.)* *(18—238 sts.)*.
Change to No. 12 circular needle and work 3 ins. (K1, P1) ribbing. Cast off **loosely** in ribbing.

To make one sleeve: With right side of work facing, join wool in centre of the cast-on sts. at underarm. Using the set of 4 No. 10 needles, pick up and knit 4 sts. *(16—5 sts.)* *(18—6 sts.)* along one half of underarm. Dividing sts. on 3 needles as sts. are picked up, pick up and knit the 82 sts. *(16—84 sts.)* *(18—86 sts.)* from thread. Pick up and knit 4 sts. *(16—5 sts.)* *(18—6 sts.)* along other half of underarm. 90 sts. on needles. *(16—94 sts.)* *(18—98 sts.)*.
Join in round and knit 16 rounds even, ending at underarm.
****Next round:** K1. Sl.1. K1. p.s.s.o. Knit to last 3 sts. of round. K2tog. K1. Knit 7 rounds even.****
Repeat from ** to ** to 62 sts. in round. *(16—66 sts.)* *(18—70 sts.)*.
Continue even until sleeve from the picked up sts. at underarm measures 13 ins. *(16—13½ ins.)* *(18—14 ins.)*, or desired length, and decreasing 8 sts. in last round. 54 sts. on needle. *(16—58 sts.)* *(18—62 sts.)*.
Change to set of 4 No. 12 needles and work 3 ins. (K1. P1) ribbing. Cast off **loosely** in ribbing. Work other sleeve to correspond. Darn in ends. Press lightly.

MAN'S "ZIPPERED" CARDIGANS *(Continued from page 27)*

Continue even in pattern until same length as Back to armholes ending with purl row.

To shape armhole: Keeping continuity of pattern, cast off 4 sts. beginning next row for armhole, then cast off 4 sts. at armhole edge every alternate row twice more. *(38—twice more)* *(40 and 42—3 times more)*.
Dec. 1.st. at armhole edge every alternate row to 53 sts. on needle. *(38—53 sts.)* *(40 and 42—57 sts.)*.
Continue even in pattern until armhole from first shaping measures 5 ins. *(38—5 ins.)* *(40 and 42—5½ ins.)* ending at front edge.

To shape neck: Keeping continuity of pattern, cast off 12 sts. beginning next row for neck, then dec. 1.st. at neck edge every alternate row to 33 sts. on needle. *(38—33 sts.)* *(40 and 42—35 sts.)*.
Continue even in pattern until armhole measures same as Back to shoulder.

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 11 sts. every alternate row 3 times. *(38 as 36)* *(40 and 42—Cast off 11 sts. once, 12 sts. twice)*.

RIGHT FRONT: Work exactly as given for Left Front being careful to have all shapings for opposite side.

SLEEVES: With (B) wool and No. 12 needles cast on 55 sts. *(38—55 sts.)* *(40 and 42—59 sts.)*.
Work 3½ ins. (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: Rib, increasing 10 sts. evenly spaced across row. 65 sts. on needle. *(38—65 sts.)* *(40 and 42—69 sts.)*.
Change to No. 10 needles.
Continue in Stocking st. inc. 1.st. each end of needle on 7th and every following 6th row to 105 sts. on needle. *(38—105 sts.)* *(40 and 42—109 sts.)*.
Continue even in Stocking st. until sleeve measures 18 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 3 sts. *(38—3 sts.)* *(40 and 42—4 sts.)* beginning next 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 89 sts. on needle, ending with purl row.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row. Repeat last 4 rows to 29 sts. on needle. Cast off remaining sts.

NECKBAND: Sew shoulder seams. With right side of work facing, (B) wool and No. 12 needles, pick up and knit 131 sts. *(38—135 sts.)* *(40—139 sts.)* *(42—143 sts.)* around neck.
Beginning with 2nd row, work 1 inch (K1. P1) ribbing as given for Back.
Keeping continuity of ribbing, cast off 4 sts. beginning next 22 rows. Cast off remaining sts.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side and sleeve seams. Sew in sleeves. Sew pocket pieces in position on wrong side. Fold neckband over to wrong side and sew the cast-off edge along the picked-up row. With right side of work facing, crochet 1 row s.c. firmly along cast-off edge of each pocket opening, and each front edge drawing edge in slightly to fit "Zipper". Sew buttons to correspond to buttonholes. Sew in "Zipper" fastener.

TEEN-AGER'S SWEATER COAT *(Continued from page 21)*

To shape cap: Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Work 1 row even. Repeat last 4 rows to 16 sts. on needle. *(16—18 sts.)* *(18—20 sts.)*. Cast off remaining sts. in pattern.

COLLAR: With No. 4 needles cast on 6 sts.
1st row: K1. Inc. 1.st. in next st. K2. Inc. 1.st. in next st. K1.
2nd row: Knit.
3rd row: K1. Inc. 1.st. in next st. Knit to last 2 sts. Inc. 1.st. in next st. K1.
4th row: Knit. Repeat 3rd and 4th rows once. (12 sts. on needle).
7th row: (outside edge). K1. Inc. 1.st. in next st. Knit to end of row.
8th row: Knit. Repeat 7th and 8th rows to 19 sts. on needle. Knit even in Garter st. (plain knitting every row) until work from cast-on edge measures 12½ ins. *(16—13 ins.)* *(18—13½ ins.)* ending at outside edge. Proceed:—
1st row: K1. K2tog. Knit to end of row. (neck edge).
2nd row: Knit. Repeat these 2 rows to 12 sts. on needle ending with 2nd row.
Next row: K1. K2tog. Knit to last 3 sts. K2tog. K1.
Next row: Knit. Repeat last 2 rows to 6 sts. on needle. Cast off.

TO MAKE UP: Block and Press each piece as given on page 29. Sew side, shoulder and sleeve seams. Sew pocket pieces in position on wrong side. Sew in sleeves. Sew neck edge of collar around neck, placing ends to each front edge. Sew in "Zipper" fastener, easing in front edges to fit smoothly.

P&B WOOLS

Handknits for Men

THE "ZIPPERED" CARDIGANS (both styles)

MATERIALS:
With a choice of two different stitch patterns for the fronts, and simple stocking stitch for the back and sleeves, these sweaters can be matched up with socks as given in Beehive Book No. 75. Beehive Fingering 4 ply Patonised was used for the original garments. Patwin 4 ply Patonised and P & B Heather Fingering Patonised were used for other garments to check the accuracy of these instructions. Your choice of one of these three specified yarns, will give the assurance of satisfactory knitting. You will need:—12 ozs. (*38 and 40—13 ozs.*) (*42—14 ozs.*) Main Colour (B). 3 ozs. Contrasting Colour (A). Two No. 12, two No. 11 and two No. 10 Queen Bee Knitting Needles. One Medium Crochet Hook. One 20-inch separating "Zipper" Fastener. 2 Buttons.

MEASUREMENTS:	Size 36	Size 38	Size 40	Size 42
Chest measurement	36 ins.	38 ins.	40 ins.	42 ins.
Chest measurement of finished garment	38 "	40 "	42 "	44 "
Length from top of shoulder	24 "	24 "	24½ "	24½ "
Length of sleeve underarm seam	18 "	18 "	18 "	18 "

Tension: 7½ sts. and 10 rows = 1 inch with No. 10 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 36. Any changes necessary for sizes 38, 40 and 42 are written in brackets thus:—( ).

BACK: With (B) wool and No. 12 needles cast on 125 sts. (*38—133 sts.*) (*40—139 sts.*) (*42—147 sts.*).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows of (K1. P1) ribbing for 4 ins. ending with 1st. row.
Next row: Rib, increasing 10 sts. evenly spaced across row. 135 sts. on needle. (*38—143 sts.*) (*40—149 sts.*) (*42—157 sts.*).
Change to No. 10 needles and continue even in Stocking st. until work measures 15½ ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch, very easily in width, to one half of the finished chest measurement.

To shape armhole: Cast off 4 sts. (*38 and 40—5 sts.*) (*42—6 sts.*) beginning next 2 rows, then 4 sts. (*38—4 sts.*) (*40 and 42—5 sts.*) beginning following 2 rows.
Dec. 1.st. each end of needle on next and every alternate row to 99 sts. on needle. (*38—103 sts.*) (*40—107 sts.*) (*42—111 sts.*).
Continue even in Stocking st. until armhole from first shaping measures 8½ ins. (*38—8½ ins.*) (*40 and 42—9 ins.*) ending with purl row.

To shape shoulders: Cast off 10 sts. beginning next 4 rows, then 11 sts. beginning following 2 rows.
(*38—Cast off 10 sts. beginning next 2 rows, then 11 sts. beginning following 4 rows*)
(*40—Cast off 11 sts. beginning next 6 rows*)
(*42—Cast off 11 sts. beginning next 4 rows, then 12 sts. beginning following 2 rows*).
Cast off remaining sts.

See left column

LEFT FRONT: **To make pocket piece:** With (B) wool and No. 11 needles cast on 33 sts. Work 4½ ins. even in Stocking st. ending with **knit** row. Break wool. Leave these sts. on spare needle.

To make pocket flap: With (B) wool and No. 11 needles cast on 3 sts.
1st row: Inc. 1.st. in 1st. st. K1. Inc. 1.st. in last st.
2nd row: Inc. 1.st. in 1st. st. Knit to last st. Inc. 1.st. in last st.
Repeat 2nd row to 33 sts. on needle.
Next row: (buttonhole). K15. Cast off 3 sts. K15.
Next row: K15. Cast on 3 sts. K15.
Knit 13 rows Garter st. (plain knitting every row). Break wool. Leave these sts. on spare needle.

With (B) wool and No. 12 needles cast on 65 sts. (*38—69 sts.*) (*40—73 sts.*) (*42—77 sts.*).
Work 4 ins. (K1. P1) ribbing as given for Back ending with 1st. row.
Next row: Rib, increasing 8 sts. evenly spaced across row. 73 sts. on needle. (*38—77 sts.*) (*40—81 sts.*) (*42—85 sts.*).
Change to No. 10 needles. Do not break (B), but join (A) and proceed in desired Stitch Pattern as follows:—



See opposite page

The Pullover, see page 28

Note: Slip all sts. purlways and before slipping the sts. always leave wool on the wrong side of work. That is:—Leave wool at **back** of work on **knit** rows and at **front** of work on **purl** rows.

CASEMENT PATTERN (as shown above, centre):

1st row: With (A), K4. *Sl.1. K3. Repeat from * to last st. K1.

2nd row: With (A), K1. P3. *Sl.1. P3. Repeat from * to last st. K1. Do not break (A), but carry the (A) and (B) wools from one stripe to the next by passing the colour to be used, underneath the colour just used, at back of work, when starting next stripe.

3rd row: With (B), knit.

4th row: With (B), K1. Purl to last st. K1. These 4 rows complete one Casement Pattern.

CLASSIC KEY PATTERN (as shown above, left):—

1st row: With (A), K4. *Sl.1. K3. Repeat from * to last st. K1.

2nd row: With (A), K1. *P3. Sl.1. Repeat from * to last 4 sts. P3. K1. Do not break (A), but carry the (A) and (B) wools from one stripe to the next by passing the colour to be used, underneath the colour just used, at back of work, when starting next stripe.

3rd row: With (B), *K3. Sl.1. Repeat from * to last st. K1.

4th row: With (B), K1. *Sl.1. P3. Repeat from * to last 4 sts. Sl.1. P2. K1.

5th row: With (A), K4. *Sl.1. K3. Repeat from * to last st. K1.

6th row: With (A), K1. *P3. Sl.1. Repeat from * to last 4 sts. P3. K1.

7th row: With (B), K1. *Sl.1. K3. Repeat from * to end of row.

8th row: With (B), K1. P2. *Sl.1. P3. Repeat from * to last 2 sts. Sl.1. K1. These 8 rows complete one Classic Key Pattern.

Continue even in desired Stitch Pattern until work measures approx. 4½ ins. from top of ribbing, ending with a purl row in (A).

To make pocket opening: With (B), work 20 sts. *(38—22 sts.) (40—24 sts.) (42—26 sts.)* in pattern. Cast off 33 sts. Work in pattern to end of row.

Next row: Work 20 sts. *(38—22 sts.) (40—24 sts.) (42—26 sts.)* in pattern. Place needle with pocket flap sts. behind needle with pocket piece sts. having purl side of pocket piece facing you. Purl tog. 1.st. from each needle 33 times. Work in pattern across remaining sts. of front.

(Continued on page 25)

P&B WOOLS

The Pullover

with "V", Round or Turtle Neck

with Sleeves or Sleeveless—shown on page 27 (right)

MATERIALS:
In addition to the style illustrated, these instructions give a sleeveless style and a round or turtle neck, making six different ways to knit this sweater in each of the four sizes given. To achieve the best results, be sure to use P & B Superior Double Knitting Patonised, the wool for which these instructions were specifically written. You will need:—For the Sweater with Sleeves 9 (2 oz.) balls. (*38 and 40—10 balls*) (*42—11 balls*) and 1 ball extra for the Turtle Neck Style. The Sleeveless Pullover takes 6 (2 oz.) balls. (*38—7 balls*) (*40 and 42—8 balls*) and 1 ball extra for the Turtle Neck Style. Two No. 10 and two No. 7 Beehive Knitting Needles. Set of 4 No. 10 Queen Bee Knitting Needles with points at both ends for Round or Turtle Neck Styles. One Stitch Holder.

MEASUREMENTS:	Size 36	Size 38	Size 40	Size 42
Chest measurement	36 ins.	38 ins.	40 ins.	42 ins.
Chest measurement of finished garment	37 "	39 "	41 "	43 "
Length from top of shoulder	23 "	23 "	23½ "	23½ "
Length of sleeve underarm seam	18 "	18 "	18 "	18 "

Tension: 5 sts. = 1 inch and 13 rows = 2 ins. with No. 7 needles in Stocking st.

Check tension—see page 29.
For Washing Instructions—see page 29.

The instructions are written for size 36. Any changes necessary for sizes 38, 40 and 42 are written in brackets thus:—( ).

FRONT: With No. 10 needles cast on 88 sts. (*38—92 sts.*) (*40—98 sts.*) (*42—102 sts.*).
Work 4 ins. (K1. P1) ribbing.
Change to No. 7 needles and continue even in Stocking st. until work measures 15 ins. from beginning, or desired length, ending with purl row.
When knitted to correct tension, work should stretch, very easily in width, to one half of the finished chest measurement.

To shape armholes: Cast off 4 sts. (*38—4 sts.*) (*40 and 42—5 sts.*) beginning next 2 rows. 80 sts. on needle. (*38—84 sts.*) (*40—88 sts.*) (*42—92 sts.*).

To shape "V" neck: K2tog. K36. K2tog. (*38—K2tog. K38. K2tog.*) (*40—K2tog. K40. K2tog.*) (*42—K2tog. K42. K2tog.*). Turn. Leave remaining sts. on st. holder.
Working on these 38 sts. (*38—40 sts.*) (*40—42 sts.*) (*42—44 sts.*) continue in Stocking st. dec. 1.st. at armhole edge every alternate row, at same time dec. 1.st. at neck edge every 4th row to 32 sts. on needle. (*38 and 40—33 sts.*) (*42—34 sts.*).
Keeping armhole edge even, continue dec. 1.st. at neck edge every 4th row as before, to 22 sts. on needle. (*38—22 sts.*) (*40 and 42—23 sts.*).
Continue even until armhole from first shaping measures 8 ins. (*38—8 ins.*) (*40 and 42—8½ ins.*).

To shape shoulder: At armhole edge cast off 7 sts. every alternate row twice, then 8 sts. (*38—8 sts.*) (*40 and 42—9 sts.*) once.

With right side of work facing, join wool at neck edge to remaining sts. and work other side to correspond being careful to have all shapings for opposite side.

To shape Round and Turtle necks: Continue in Stocking st. dec. 1.st. each end of needle on next and every alternate row to 70 sts. on needle. (*38—72 sts.*) (*40—74 sts.*) (*42—76 sts.*).
Continue even until armhole measures 5½ ins. from first shaping, ending with purl row.
Next row: K25. K2tog. (*38—K26. K2tog.*) (*40—K27. K2tog.*) (*42—K28. K2tog.*). Turn. Leave remaining sts. on st. holder.
Working on these 26 sts. (*38—27 sts.*) (*40—28 sts.*) (*42—29 sts.*) continue in Stocking st. dec. 1.st. at neck edge every row to 22 sts. on needle. (*38—22 sts.*) (*40 and 42—23 sts.*).
Continue even until armhole from first shaping measures 8 ins. (*38—8 ins.*) (*40 and 42—8½ ins.*).
Shape shoulder as given for "V" neck.
Leaving next 16 sts. on st. holder, with right side of work facing, join wool to remaining sts. and work other side to correspond.



BACK: With No. 10 needles cast on 88 sts. (*38—92 sts.*) (*40—98 sts.*) (*42—102 sts.*) and work exactly as given for Front to 80 sts. on needle. (*38—84 sts.*) (*40—88 sts.*) (*42—92 sts.*).
Continue in Stocking st. dec. 1.st. each end of needle on next and every alternate row to 70 sts. on needle. (*38—72 sts.*) (*40—74 sts.*) (*42—76 sts.*).
Continue even until armhole measures same as Front to shoulder, ending with purl row.

To shape shoulders: Cast off 7 sts. beginning next 4 rows then 8 sts. (*38—8 sts.*) (*40 and 42—9 sts.*) beginning following 2 rows. **Do not break wool.**

NECKBAND FOR "V" NECK: Sew left shoulder seam. With right side of work facing and No 10 needles knit across sts. at back of neck. Pick up and knit 43 sts. (*38—45 sts.*) (*40—47 sts.*) (*42—49 sts.*) along left side of neck. Pick up and knit 1.st. at centre front of neck. Pick up and knit 43 sts. (*38—45 sts.*) (*40—47 sts.*) (*42—49 sts.*) along right side of neck.
1st row: ★K1. P1. Repeat from ★ to last st. K1.
2nd row: K2. ★P1. K1. Repeat from ★ to 5 sts. at centre front of neck. P2tog. K1. P2tog. Rib to end of row.
3rd row: ★K1. P1. Repeat from ★ to 5 sts. at centre front of neck. K2tog. P1. K2tog. Rib to end of row.
Repeat 2nd and 3rd rows twice. Cast off **loosely** in ribbing.

NECKBAND FOR ROUND NECK: Sew shoulder seams. Using the set of 4 needles and dividing sts. on 3 needles as sts. are picked up, with right side of work facing, knit across sts. at back of neck. Pick up and knit 18 sts. (*38—18 sts.*) (*40 and 42—19 sts.*) along left side of neck. Knit across sts. from st. holder at front of neck. Pick up and knit 18 sts. (*38—18 sts.*) (*40 and 42—19 sts.*) along right side of neck. Join in round and work 7 rounds (K1. P1) ribbing. Cast off **loosely** in ribbing.

NECKBAND FOR TURTLE NECK: Work as given for Neckband for Round Neck until 5 ins. (K1. P1) ribbing has been worked. Cast off **loosely** in ribbing.

SLEEVES: With No. 10 needles cast on 38 sts. (*38—40 sts.*) (*40—42 sts.*) (*42—44 sts.*).
Work 3½ ins. (K1. P1) ribbing.
Change to No. 7 needles and proceed:—
Next row: K2. (*38—K4*) (*40—K6*) (*42—K8*). ★Inc. 1.st. in next st. K5. Repeat from ★ to end of row. 44 sts. on needle. (*38—46 sts.*) (*40—48 sts.*) (*42—50 sts.*).
Continue in Stocking st. inc. 1.st. each end of needle every 6th row to 68 sts. on needle. (*38—70 sts.*) (*40—72 sts.*) (*42—74 sts.*).
Continue even in Stocking st. until sleeve measures 18 ins. from beginning, or desired length, ending with purl row.

To shape cap: Cast off 2 sts. beginning next 2 rows.
Dec. 1.st. each end of needle on next 3 rows. Purl 1 row. Repeat these 4 rows to 22 sts. on needle. (*38—24 sts.*) (*40—20 sts.*) (*42—22 sts.*). Cast off.

ARMBANDS: With right side of work facing and No. 10 needles pick up and knit 112 sts. (*38—112 sts.*) (*40 and 42—116 sts.*) along armhole.
Work 7 rows (K1. P1) ribbing. Cast off **loosely** in ribbing.

TO MAKE UP: Block and Press each piece as given on page 29. Sew all seams. Sew sleeves in pullovers with sleeves.

THE WASHING OF WOOLLIES

Well knitted woollies are worthy of careful treatment. They will give long service and keep their shape and softness if this simple routine is followed:—

WASHING

Dissolve completely a little soap, flakes or powder, cold water soap or good detergent in a small quantity of hot water.

Add cold water until the soap suds are only lukewarm. (too hot for the elbow is altogether too hot for woollies). Detergents require much cooler water.

Place the garment in the suds and squeeze gently. Do not rub or leave to soak.

When the garment is clean, squeeze as much water out as possible but do not wring or twist.

Keep the garment supported by the hands whenever it is removed from the water.

RINSING

Rinse at least twice in clean water, no warmer than the washing suds. *Every trace of soap must be removed.*

A few drops of white vinegar in the final rinse water are good for coloured woollies and particularly helpful when other shades are knitted *with* WHITE.

DRYING

Never let woollies lie wet. Remove all moisture at once by rolling in a thick towel.

Ease the garment back to its original size and shape. Dry on a flat surface away from excessive heat.

Do not hang up—Dry flat.

NOTE:

Most washing troubles are caused by—too hot water, too much soap, too much rubbing, too little rinsing.

PATONISED WOOLS

To ensure the fullest benefit of increased wearing properties, it is recommended that the foregoing washing routine be followed for garments knitted from Patonised Shrink-resist wools.

CHECK TENSION

The garments in this book are worked to the exact tension given. They are closely knitted to ensure a firm fabric that will wear better and keep its shape longer than a loosely knitted fabric. **Check your tension.** Before beginning your garment take the wool and needles specified. Cast on 20 stitches. Work 20 rows stocking stitch. Lay work flat on a table and place a ruler across the stitches. Count the number of stitches to one inch and compare with the tension given in the instructions. All given tension in Beehive instructions is measured over stocking stitch. If your tension is too loose try a size smaller needle. If your tension is too tight try a size larger needle.

Be sure to work to exact tension given if you want your garment to work to correct size.

WOOLS TO USE

Every instruction in this book has been carefully prepared with the wool recommended; for perfect satisfaction be sure to use only the wool specified.

When purchasing the wool, be sure to buy enough *in one dye lot* to complete the garment chosen and avoid trouble in having to match the shade later.

TO BLOCK AND PRESS

Place all knitted pieces on a pad, right side down, measure and pin them to size and shape using rustless pins. Cover with a damp cloth. Holding a hot iron close enough to the cloth to draw steam, smooth over each piece, except for the ribbed bands. Do not press the iron on the work at any time. Remove cloth and leave pieces to dry.

ABBREVIATIONS

KNITTING:
K—knit plain. P—purl. st.—stitch. sts.—stitches. sl.—slip. w.o.n.—wool over needle. w.r.n.—wool round needle. tog.—together. ins.—inches. wl.fwd.—wool forward. p.s.s.o.—pass slip stitch over. t.b.l.—through back of loops. inc.—increase. dec.—decrease.

CROCHET:
s.c.—single crochet. d.c.—double crochet. s.s.—slip stitch. h.tr.—half treble. h.d.c.—half double crochet. w.o.h.—wool over hook. d.tr.—double treble. l.tr.—long treble. ch.—chain tr.—treble.

The star symbol (★)—This indicates that the directions immediately following are to be repeated. When directions call for repeating a given number of times, it is understood this is in addition to the original. Thus, repeat 3 times means 4 times altogether.

To knit "even"—The row or work is knitted without increasing or decreasing.

Important: When the instructions read—Cast off 2 sts. K2. (or similar sts.) the stitch on the right hand needle after casting off, is counted as 1 stitch.

TRADUCTION FRANÇAISE

TRICOTER:
K—tricoter à l'endroit. P—tricoter à l'envers. w.r.n.—une maille jetée à l'envers. sl.—glisser. p.s.s.o.—passer la maille glissée par dessus. ins.—pouces. w.o.n.—passer la laine par-dessus l'aiguille. tog.—ensemble. wl.fwd.—une maille jetée à l'endroit. inc.—augmenter. t.b.l.—tricoter par derrière la maille. dec.—diminuer.

CROCHET:
ch.—chaine. tr.—triple crochet. l.tr.—triple crochet. (long). w.o.h.—Passer la laine sur le crochet. h.tr.—Demi triple crochet. s.c.—simple crochet. d.c.—double crochet. d.tr.—double triple. h.d.c.—demi crochet. s.s.—maille glissée.

To knit even—Tricoter sans augmenter ni diminuer.

The star symbol (★)—L'astérisque indique que les directions qui suivent doivent être répétées. Si on demande de répéter un certain nombre de fois, il est entendu que c'est en plus de l'original, tel que ★ répéter 3 fois veut dire 4 fois en tout.

ARMHOLE—Emmanchure. NECK EDGE—Encolure. CAST OFF—Rabattre. GARTER STITCH—Point de jarretière, tous les rangs à l'endroit. STOCKING STITCH—Point Jersey. Un rang à l'endroit. Un rang à l'envers. MOSS OR SEED STITCH —1er rang. 1 maille à l'endroit. 1 maille à l'envers. 2e rang. = 1 maille à l'envers vis-à-vis des mailles à l'endroit et 1 maille à l'endroit vis-à-vis des mailles à l'envers.

Published with all rights reserved by Patons & Baldwins Limited, Toronto 19

BEEHIVE SCOTCH FINGERING 2, 3, AND 4 PLY

Woollies knitted from Beehive PATONISED wools come out of each wash as young and fresh as the day you finished them. The shrink resistant Patonising process gives protection throughout endless washings.

***A selection of standard knitting instruction books from the* BEEHIVE KNITTER'S LIBRARY:**

Series No. 56

Series No. 72

Series No. 47

Series No. 69



Series No. 75

Series No. 74

Series No. 73

Series No. 78

For FREE folder illustrating complete BEEHIVE KNITTER'S LIBRARY or in case of difficulty, write

PATONS & BALDWINS, LIMITED : TORONTO 19